

Corporate Profile

HPL is India's leading electric equipment manufacturer with a formidable presence across six key verticals: Metering Solutions, Switchgears, LED Lighting, Wire & Cables, Modular Switches & Solar. Our backward integrated facilities have capabilities across product design and development, component designing, tool manufacturing and commercial production. An established brand with a proven track record of over four decades.

HPL enjoys strong recall across various customer segments. Through our innovative offerings, certified to conform to Indian and International standards such as ISI, CE and KEMA, we are proud to partner emerging India's electrical requirements.

HPL is well-placed to seize emerging opportunities

60+ Years of Industry Experience

7 State-of-art Manufacturing Facilities with 2 R&D Centers

19 Logistic centres in India & Union Territories

90+ Branch & Representative Offices

Strong Dealer & Distribution Network

Exporting to over **42** Countries

Manufacturing products and the parts

Inputs such as sheet metal components, copper components and industrial plastic moulded components are also made within the HPL facilities, reinforcing our quality edge.





Key Strengths

Integrated Manufacturing Facilities

Located across North India in the states of Haryana and Himachal Pradesh. We have seven state-of-the-art manufacturing capabilities. These are equipped to manufacture customised products for institutional customers and undertake modifications in products for OEMs and other corporate customers as well as for the retail consumers. We manufacture all our products in-house, as well as several components used therein.

Certifications

HPL's manufacturing facilities are ISO:9001 certified for Quality Management System, ISO:14001 certified for Environmental System and OHSAS-18001 certified for implementing an occupational Health and Safety Management System. HPL products are also ISI Certified by the Bureau of Indian Standards, a mark of quality products in India.

Certain range of products have KEMA certification for energy utilization and have CE certificate to give acceptability of the products in Europe and other international markets. With these awards, accolades and certificates, HPL continues its journey towards a brighter and innovative future.

Our state-of-the-art manufacturing units are equipped with:

Ultra Modern Testing Labs World Class R&D Facilities State-of-the-art Moulding Plants Latest Milling Machines





Content

1.	Instrumentation Cables	01
2.	Fire Survival Cables As per BS: 7846	03
3.	Fire Alarm Cables	05
4.	CAT 6 Cables	06
5.	CAT 6A Cables	07
6.	DC Solar Cables	08
7.	Co-axial Cables	10
8.	Telephone Cables	11
9.	CCTV Cables	12
10.	Speaker Cables	14
11.	Flat Elevator Cables	15
12.	HPL OIL Resistant Battery Cables	16
13.	Control Cable	17
14.	Automotive Cable	24
15.	Harmonized Cable	30
16.	Rubber Cable	33
17.	XCMK-HF, FXQJ, EXQJ, IFSI	39
18.	Technical Specification	40





Reliability

HPL constantly monitors its manufacturing processes and operates stringent quality assurance procedures to give long term reliability. This is of vital significance where cables are to be installed in locations where future access would be difficult and this is where HPL reputation and resources give peace of mind.

Performance

Optimum cable performance can be provided only by a company such as HPL, with access to the latest developments in materials technology. In addition, HPL knowledge of application requirements throughout is an assurance of high performance.

Our experienced Technical Staff can provide guidance on cable selection and installation and can ensure that you get the right cable for the job.

Health & Safety Management System Certified to OHSAS 45001

HPL ensure that its products are designed and constructed to be hazard-free under the prescribed conditions of use.

HPL uses only tried and tested materials and processes in full compliance with all relevant Indian, British and International Standards. Our cables are therefore manufactured for safe use without risk to health on the understanding that users will exercise the same degree of care in their selection and application. Safety is an important issue for HPL, and the strict standards are adhered to throughout the company. HPL is proud of its safety record.

Certification to OHSAS 45001 provides a recognizable Occupational Health and Safety Management standard against which an organization management system can be assessed and certified. Based on the structure of OHSAS 45001, the standard requires continual improvement in health and safety related activities.

Quality Management System Certified to ISO 9001



HPL Quality Management System conforms to the ISO 9001 Quality System Standard. Certification to the ISO 9001 standard demonstrates that HPL has drawn up written procedures to ensure full compliance with all requirements of the standard and that these procedures are followed by every department in the company, thus ensuring that goods leaving HPL factory are of the highest quality and meet each customer's requirements in every respect.

Environmental Management System Certified to ISO 14001

HPL Environmental Management System conforms to the ISO 14001 Environmental Management Standard.

Certification to the ISO 14001 standard shows that HPL has a well defined Structure and established working practices aimed at limiting its impact on the environment. Measurement and monitoring of effects, issuing work instructions, training of personnel and taking corrective actions are all essential elements to limiting the impact on the environment. HPL has set improvement targets to reduce the significant environmental impacts associated with its activities.



Instrumentation Cables Adapted to EN 50288-7 / BS 5308 -2



Cable Description

Conductor Annealed copper wires according to BS EN 60228

Insulation Polyvinyl chloride PVC

Pairs Twisted

Identification Pairs Blue & white, continuously numbered on white core (1, 2, 3...) for multi-element.

Wrapping 1 layer of PETP tape

Collective Screen Aluminium / PETP tape over tinned copper drain wire

Cable Sheath Polyvinyl Chloride PVC

Technical Data

Flame Propagation EN 60332-1-2 Operating -5°C to +70°C

Temperature Range 12 x cable diameter (Min)

Bending Radius 500V

Operating Voltage *Also available in 300V variant on request.

n - No. of pairs m - Pairs

a - Cross sectional area

Electrical Properties

Conductor Cross Section (Sq.mm)	Class of Conductor	No. of Strands/ Max. Strand Diameter (mm)	Max. DC Conductor Resis- tance at 20°C (Ω/ km)	Max. L/R Ratio (μΗ/Ω)	Min. Insulation Resistance (MΩ x Km)	Max. Mutual Ca- pacitance (nF/km)	Max. Inductance (mH/km)	Test Voltage Vrms (Core-Core)	Test Voltage Vrms (Core- Screen)
0.5	2	7/0.3	36.0	25	20	250	1	2000	2000
0.5	5	16/0.2	39.0	25	20	250	1	2000	2000
0.75	2	7/0.37	24.5	25	20	250	1	2000	2000
0.75	5	24/0.2	26.0	25	20	250	1	2000	2000
1	2	7/0.43	18.1	25	20	250	1	2000	2000
1	5	32/0.2	19.5	25	20	250	1	2000	2000
1.5	2	7/0.53	12.1	40	20	250	1	2000	2000
2.5	2	7/0.67	7.41	60	20	250	1	2000	2000



1



Class	No. of Pairs & Nom. Cross Sectional Area (Sq. mm)	Min. Insulation Thickness (mm)	Nominal Sheath Thickness (mm)	Approx. Cable Diameter (mm)	Approx. Cable Weight (kg/km)
	1 x 2 x 0.5	0.44	1.0	6.4	48.2
	2 x 2 x 0.5 3 x 2 x 0.5	0.44 0.44	1.0	7.7 9.0	74.2 100.8
	4 x 2 x 0.5	0.44	1.1	10.1	126.5
	5 x 2 x 0.5	0.44	1.2	11.1	151.8
	8 x 2 x 0.5 10 x 2 x 0.5	0.44 0.44	1.3 1.3	13.6 15.0	225.5 274.0
	12 x 2 x 0.5	0.44	1.4	16.2	321.9
	16 x 2 x 0.5	0.44	1.4	18.4	416.1
	20 x 2 x 0.5	0.44	1.5	20.4	510.0
	24 x 2 x 0.5 1 x 2 x 0.75	0.44 0.44	1.6 1.0	22.2 6.8	603.1 56.7
	2 x 2 x 0.75	0.44	1.1	8.3	89.5
	3 x 2 x 0.75	0.44	1.1	9.7	122.9
	4 x 2 x 0.75	0.44	1.2	10.9	155.8
Class 5	5 x 2 x 0.75 8 x 2 x 0.75	0.44 0.44	1.2 1.3	12.0 14.7	188.0 282.2
	10 x 2 x 0.75	0.44	1.4	16.2	345.0
	12 x 2 x 0.75	0.44	1.4	17.6	406.3
	16 x 2 x 0.75 20 x 2 x 0.75	0.44 0.44	1.5	20.0 22.2	527.7
	24 x 2 x 0.75	0.44	1.6 1.6	24.1	649.5 769.0
	1 x 2 x 1	0.44	1.0	7.1	64.1
	2 x 2 x 1	0.44	1.1	8.7	103.4
	3 x 2 x 1	0.44 0.44	1.1 1.2	10.2	143.1
	4 x 2 x 1 5 x 2 x 1	0.44	1.2	11.5 12.6	182.2 220.5
	8 x 2 x 1	0.44	1.3	15.5	333.8
	10 x 2 x 1	0.44	1.4	17.1	408.9
	12 x 2 x 1 16 x 2 x 1	0.44 0.44	1.4 1.5	18.6 21.2	482.3 629.0
	20 x 2 x 1	0.44	1.6	23.5	776.5
	24 x 2 x 1	0.44	1.7	25.5	920.3
	1 x 2 x 0.5	0.44	1.0	6.4	48.0
	2 x 2 x 0.5 3 x 2 x 0.5	0.44 0.44	1.0 1.1	7.7 9.0	73.9 100.4
	4 x 2 x 0.5	0.44	1.1	10.1	125.9
	5 x 2 x 0.5	0.44	1.2	11.1	151.2
	8 x 2 x 0.5	0.44	1.3 1.3	13.6 15.0	224.5 272.7
	10 x 2 x 0.5 12 x 2 x 0.5	0.44 0.44	1.4	16.2	320.4
	16 x 2 x 0.5	0.44	1.4	18.4	414.1
	20 x 2 x 0.5	0.44	1.5	20.4	507.5
	24 x 2 x 0.5 1 x 2 x 0.75	0.44 0.44	1.6 1.0	22.2 6.8	600.1 56.7
	2 x 2 x 0.75	0.44	1.1	8.3	89.5
	3 x 2 x 0.75	0.44	1.1	9.7	123.4
	4 × 2 × 0.75	0.44	1.2	10.9	155.9
	5 x 2 x 0.75 8 x 2 x 0.75	0.44 0.44	1.2 1.3	12.0 14.7	188.0 282.4
	10 x 2 x 0.75	0.44	1.4	16.3	345.1
	12 x 2 x 0.75	0.44	1.4	17.6	406.4
	16 x 2 x 0.75	0.44 0.44	1.5	20.1 22.2	527.9
	20 x 2 x 0.75 24 x 2 x 0.75	0.44	1.6 1.6	24.2	649.7 769.4
	1 x 2 x 1	0.44	1.0	7.2	65.2
	2 x 2 x 1	0.44	1.1	8.8	105.6
	3 x 2 x 1 4 x 2 x 1	0.44 0.44	1.1	10.4 11.7	146.7 186.8
	5 x 2 x 1	0.44	1.2	12.9	226.1
Class 2	8 x 2 x 1	0.44	1.3	15.8	342.3
	10 x 2 x 1	0.44 0.44	1.4 1.5	17.4 19.0	419.3 495.5
	12 x 2 x 1 16 x 2 x 1	0.44	1.6	21.6	495.5 646.0
	20 x 2 x 1	0.44	1.6	23.9	796.2
	24 x 2 x 1	0.44	1.7	26.0	945.0
	1 x 2 x 1.5 2 x 2 x 1.5	0.44 0.44	1.0	7.9 9.7	81.9 136.4
	3 x 2 x 1.5	0.44	1.2	11.5	191.5
	4 x 2 x 1.5	0.44	1.2	13.0	246.0
	5 x 2 x 1.5	0.44	1.3	14.3	299.7
	8 x 2 x 1.5	0.44 0.44	1.4 1.5	17.7 19.5	457.6 563.2
	12 x 2 x 1.5	0.44	1.5	21.2	666.6
	16 x 2 x 1.5	0.44	1.6	24.2	872.3
	20 x 2 x 1.5	0.44 0.44	1.7 1.8	26.8 29.2	1079.7 1283.9
	24 x 2 x 1.5 1 x 2 x 2.5	0.53	1.8	9.3	113.8
	2 x 2 x 2.5	0.53	1.2	11.5	195.3
	3 x 2 x 2.5	0.53	1.3	13.6	278.3
	4 x 2 x 2.5	0.53	1.3	15.5	360.2
	5 x 2 x 2.5 8 x 2 x 2.5	0.53 0.53	1.4	17.1 21.1	441.1 680.6
	8 X Z X Z.5 10 X 2 X 2.5	0.53	1.5	23.4	840.3
	12 x 2 x 2.5	0.53	1.7	25.5	998.3
		0.00	1.0	20.1	10100
	16 x 2 x 2.5 20 x 2 x 2.5	0.53 0.53	1.8 1.9	29.1 32.3	1310.9 1627.1

For multi-pair maximum resistance shall be increased by 2% Cable Design Parameters



Fire Survival Cables as per BS : 7846



HPL Fire Survival Cable are installed in areas whereby there is a need to maintain circuit integrity for prolonged period of time in a fire situation, these cables provides vital additional time to accomplish the evacuation of personnel, to contain and minimize the damage to equipment, plant and buildings, and to mount an effective fire fighting operation. These cables are specially used in wiring applications in critical life safety systems (e.g. Building management systems, emergency lightings, standby power supplies, lifts & elevators) in public such as airports, hotels, hospitals, subways, train stations, etc. Plant engineering and construction, industrial machinery and power stations.

Design							
Standard	BS 7846						
Conductor	Annealed bare copper conductor – IS 8	130 / IEC 60228					
Flame barrier tape	Suitable flame barrier tape (mica tape) t	o sustain fire test.					
Insulation	Cross linked polyethylene insulated – BS 7655 / IS 7098						
Inner Sheath	Low smoke zero halogen with flame reta	rdant properties					
Armouring	GI round wire/ GI strip						
Outer Sheath	Low smoke zero halogen with flame reta	rdant properties					
Electrical Properties							
Nominal voltage	600 / 1000 V						
Test voltage	3500 V AC for 5 minutes core to core.						
	Mechanical Properties						
Min. bending radius	fixed installation	12 x cable OD					
Temperature range	fixed installation	-5°C up to +90°C max. Conductor temperature					
	Flame and Other Tests						
Flammability	In acc. with IEC 60332-1-2 & IEC 60332-3-	24 (BS EN 50266-2-4)					
Flame test	Ss per BS 6387						
Oxygen index	>30 % in acc. to ASTM-D 2863						
Temperature index	>250°C in acc. to ASTM-D 2863						
Smoke density	70% Light Transmittance in acc. to EN 610	034-2 or max. 20% in acc. to ASTM D 2843					
Acid gas generation	Max 0.5% in acc. to BS EN 50267-2-1 or IE	C 60754-1					
	Special Properties						

This product conforms to RoHS directive (Restriction of the use of certain hazardous substances)





NI. of access	NI I		147 - * - I- I	NI C	Nicotest		VA/ - * - I- I
No. of cores & (mm) per	Nominal outer dia.	Copper Weight (kg/km)	Weight (kg/km)	No. of cores & (mm) per	Nominal outer dia.	Copper Weight (kg/km)	Weight (kg/km)
conductor	(mm)	Approx.	Approx.	conductor	(mm)	Approx.	Approx.
2x1.5	14.2	26.75	360.59	17x1.5	26.3	227.40	1276.39
2x1.5	14.2	26.75	360.59	17x1.5	26.3	227.40	1276.39
2x2.5	15.6	43.43	436.09	17x2.5	30.6	369.17	1840.58
2x2.5	15.6	43.43	436.09	17x2.5	30.6	369.17	1840.58
3x1.5	14.8	40.13	394.86	18x1.5	26.3	240.78	1282.61
3x1.5	14.8	40.13	394.86	18x1.5	26.3	240.78	1282.61
3x2.5	16.3	65.15	481.30	18x2.5	30.6	390.89	1852.28
3x2.5	16.3	65.15	481.30	2x4	16.6	70.02	504.90
4x1.5	15.7	53.51	444.80	2x4	16.6	70.02	504.90
4x1.5	15.7	53.51	444.80	2x6	17.8	105.37	599.34
4x2.5	17.4	86.86	552.43	2x6	17.8	105.37	599.34
4x2.5	17.4	86.86	552.43	2x10	19.8	176.37	764.89
5×1.5	16.9	66.88	508.43	2x10	19.8	176.37	764.89
5x1.5	16.9	66.88	508.43	2x16	22.7	281.41	1101.62
5x2.5	18.6	108.58	630.49	2x16	22.7	281.41	1101.62
5x2.5	18.6	108.58	630.49	2x25	23.5	443.90	1184.45
6x1.5	18.0	80.26	575.70	2x25	23.5	443.90	1184.45
6x1.5	18.0	80.26	575.70	2x35	26.7	615.71	1631.98
6x2.5	19.8	130.30	717.14	2x35	26.7	615.71	1631.98
6x2.5	19.8	130.30	717.14	2x50	29.0	832.75	1974.73
7×1.5	18.0	93.64	581.92	2x50	29.0	832.75	1974.73
7x1.5	18.0	93.64	581.92	2x70	31.9	1204.87	2512.19
7x2.5	19.8	152.01	728.84	2x70	31.9	1204.87	2512.19
7x2.5	19.8	152.01	728.84	2x95	35.7	1677.93	3395.57
8x1.5	20.5	107.01	792.74	2x95	35.7	1677.93	3395.57
8x1.5	20.5	107.01	792.74	3x4	17.4	105.03	570.50
8x2.5	22.8	173.73	991.81	3x4	17.4	105.03	570.50
8x2.5	22.8	173.73	991.81	3x6	18.7	158.05	683.96
9x1.5	21.8	120.39	885.99	3x6	18.7	158.05	683.96
9x1.5	21.8	120.39	885.99	3x10	21.5	264.55	999.22
9x2.5	24.3	195.44	1118.00	3x10	21.5	264.55	999.22
9x2.5	24.3	195.44	1118.00	3x16	24.1	422.11	1302.19
10x1.5	22.5	133.77	944.56	3x16	24.1	422.11	1302.19
10x1.5	22.5	133.77	944.56	3x25	27.7	665.85	1736.53
10x2.5	25.1	217.16	1191.70	3x25	27.7	665.85	1736.53
10x2.5	25.1	217.16	1191.70	3x35	29.9	923.56	2118.72
11x1.5	22.5	147.14	950.78	3x35	29.9	923.56	2118.72
11x1.5	22.5	147.14	950.78	3x50	32.1	1249.13	2582.99
11x2.5	25.1	238.88	1203.40	3x50	32.1	1249.13	2582.99
11x2.5	25.1	238.88	1203.40	3x70	36.2	1807.31	3373.25
12x1.5	23.1	160.52	1005.61	3x70	36.2	1807.31	3373.25
12x1.5	23.1	160.52	1005.61	3x95	42.9	2516.90	4722.65
12x2.5	25.8	260.59	1273.09	3x95	42.9	2516.90	4722.65
12x2.5	25.8	260.59	1273.09	4x4	18.6	140.04	658.48
13x1.5	24.2	173.90	1088.38	4x4	18.6	140.04	658.48
13x1.5	24.2	173.90	1088.38	4x6	20.9	210.74	907.26
13x2.5	28.1	282.31	1556.90	4x6	20.9	210.74	907.26
13x2.5	28.1	282.31	1556.90	4x10	23.1	352.74	1174.82
14x1.5	24.2	187.27	1094.60	4x10	23.1	352.74	1174.82
14x1.5	24.2	187.27	1094.60	4x16	26.0	562.82	1553.47
14x2.5	28.1	304.02	1568.60	4x16	26.0	562.82	1553.47
14x2.5	28.1	304.02	1568.60	4x25	29.7	887.80	2086.70
15x1.5	25.2	200.65	1183.22	4x25	29.7	887.80	2086.70
15x1.5	25.2	200.65	1183.22	4x35	31.5	1231.41	2555.42
15x2.5	29.4	325.74	1707.99	4x35	31.5	1231.41	2555.42
15x2.5	29.4	325.74	1707.99	4x50	34.4	1665.51	3160.97
16x1.5	25.2	214.03	1189.44	4x50	34.4	1665.51	3160.97
16x1.5	25.2	214.03	1189.44	4x70	39.8	2409.75	4472.35
16x2.5	29.4	347.46	1719.70	4x70	39.8	2409.75	4472.35
16x2.5	29.4	347.46	1719.70	4x95	43.3	3355.87	5659.42



Fire Alarm Cables BS 7629-1, BS EN 50200.



Application

These cables are used in high rise buildings, commercial complexes, schools and educational institutions, hospitals, etc. for the connection with security systems like smoke detectors, emergency lightings, exit signboards and fire command center. These cables are used where the fire safety is utmost important.

Technical Data

Voltage Rating 300/500V

Temperature Range -30°C to +70°C (The cable should not be flexed when either the ambient or cable temperature

is below 0°C)

Minimum Bending Radius 6D

Cable Construction

- Plain annealed copper conductor to BS EN 60288, class 2.
- · Primary insulation of glass mica fire resistant tape.
- · Secondary insulation to BS EN 50363-5, Type EI 5, Low smoke zero halogen (LSZH) cross-linkable flame retardant insulation.

Core Colours

- · 2 Core: blue, brown.
- · 3 Core: blue, brown, black.
- · 4 Core: blue, brown, black, grey.
- · Glass fibre tape.
- Earth/Drain wire of annealed tinned copper to BS EN 60228.
- · Electrostatic screen of aluminium fire barrier.
- · Sheath Type LTS3 to BS 7655 section 6.1.

Properties

*Low smoke zero halogen (LSOH), flame retardant.

Fire Performance Tests

BS 7629 -1, 300/500V fire resistant electric cables with non corrosive gases and low emission of smoke when affected by fire.

Category STANDARD 60 when tested in accordance with BS EN 50200-Method of test for resistance to fire of unprotected small cables for use in emergency circuits. In addition, it shall meet the 30 min survival time when tested in accordance with BS EN 502000. Annex E.

Meets requirement for the fire resistant cables as described in clause 262d of BS 5839-1

Cable Design Parameters

No. of Cores & Nominal Cross Section Area (Sq. mm)	No. of Strands / Strand Diameter (mm)	Nominal Overall Diameter (mm)
2 x 1.5	7/0.53	10.0
2 x 2.5	7/0.67	11.5
3 x 1.5	7/0.53	10.8
3 x 2.5	7/0.67	12.3
4 x 1.5	7/0.53	12.0
4 x 2 5	7/0.67	13.5

Electrical Properties

No. of Cores & Nominal	Max. Conductor	Current R	Voltage Drop DC or	
Cross Section Area (Sq. mm)	Resistance at 20°C (Ω/km)	DC or Single Phase AC enclosed	DC or Single Phase AC Clipped	Single Phase AC (mV/A/m)
2 x 1.5	12.1	17.5	20.0	29
2 x 2.5	7.41	24.0	27.0	18
3 x 1.5	12.1	17.5	20.0	29
3 x 2.5	7.41	24.0	27.0	18
4 x 1.5	12.1	17.5	20.0	29
4 x 2.5	7.41	24.0	27.0	18



CAT 6 Cables

Description

HPL LAN Cable Cat.6 is an installation cable for structured horizontal cabling. These cables are ideal for LAN data transmission in all Ethernet (IEEE 802.3) applications up to 1000 Base-T. IEC 61156-5/ISO/IEC11801, EN 50173-1, EIA/TIA 568C.2

Technical Data

Conductor Solid bare copper wire, AWG 24/1

Insulation.

Core identification code

Core identification code

Pair 1: White/Blue - Blue
Pair 2: White/Orange - Orange

Pair 2: White/Orange - Orange Pair 3: White/Green - Green Pair 4: White/Brown - Brown

Stranding Two cores stranded to pairs, pairs are separated by a central cross element

Outer sheath PVC compound

Outer O: Approx. 6.0 mm Color: Grey, similar to RAL 7035

Mechanical Characteristics

Minimum bending radius At installation : 4 x cable O
Fixed installation : 8 x cable O

Permissible temperature range

At installation: 0°C up to +50°C

Fixed installation: -20°C up to +60°C Flame retardant acc. to IEC 60332-1-2

Classification of fire Behaviour ECA

Acc. to EU Regulation 305/2011 (CPR) (Acc. to EN13501-6 and EN50575)

Electrical Characteristics

Flame propagation

DC-Resistance (loop) Max. 172.0 Ω/km Insulation resistance Min. 5 G Ω x km

Mutual capacitance Characteristic impedance Operating peak voltage Operating Ω Nom. 50 nF/km at 1 kHz Nom. 100 Ω acc. to IEC 61156-5 100 V (not for power purposes)

velocity of propagation
Test voltage

Approx. 0.68 c
Core/core : 1000V

Transmission Properties

Transmission properties acc. to IEC 61156-5 for Category Cat.6:

f [A Al I→]	Attenuation [dB/100m]		PS NEX	KT [dB]	EL FEX	(T [dB]	Return Loss [dB]	
f [MHz]	Standard	Typical	Standard	Typical	Standard	Typical	Standard	Typical
1*	2.1	1.8	75	90	68	82	20.0	25
4	3.8	3.5	66	80	56	75	23.0	30
10	6.0	5.6	60	75	48	67	25.0	34
16	7.6	7.2	57	70	44	65	25.0	35
31,25	10.7	10.1	53	68	38	60	23.6	35
62,5	15.5	14.4	48	62	32	53	21.5	33
100	19.9	18.4	45	60	28	50	20.1	30
250	33.0	29.1	39	57	20	44	17.3	25
300	-	34.8	-	53	-	41	-	23
350	-	38.5	-	48	-	39	=	22

^{*}Extract of normative minimum requirements





CAT 6A Cables

HPL 10 GB/s Ethernet In A Smaller, More Rugged Cable for Military And Aerospace Environments

Achieve 10 Gb/s speeds while saving space and helping to meet the demands of harsh military and aerospace environments. HPL Cat 6A cables are fully shielded four-pair cables meeting the electrical requirements of ANSI/TIA-568-C.2 for Category 6A cable.

The cable's FEP insulation and jacket allow a reduced-diameter cable, when compared to standard commercial Cat 6A cables, while stranded conductors provide high flexibility in routing.

Engineered to Perform

The HPL cable is highly engineered to provide excellent 10G signal integrity and performance stability over a temperature range as wide as -55° C to $+200^{\circ}$ C.

The cable comes in two wire gauges: the industry-standard 24 AWG and a smaller 26 AWG as required in certain military and aerospace applications.

High Speed, High Compatibility

Compared to commonly used tape-wrapped cables, HPL Cat 6a cables are easier to terminate. Plus the cable is compatible with common high-speed aerospace and military connectors. This compatibility includes TE's high-performance 10 Gb/s CeeLok FAS-T and CeeLok FAS-X connectors.

HIGH PERFORMANCE

- Excellent signal integrity at 10 Gb/s
- · Stable performance in extreme conditions
- · Support full 100 m links

COMPACT AND RUGGED

- · Ruggedized to survive in harsh environments
- · Reduced size and weight

EASY TO USE

- Easier to terminate compared to tape-wrapped designs
- · Flexible with tight bend radius for easier routing

Specifications:

MATERIALS

· Conductors:

24 AWG: Stranded silver-coated copper alloy

26 AWG: Stranded silver-coated high-strength copper alloy

· Dielectric: FEP

Core Wrap: PTFE (26 AWG cables only)

· Shielding:

200°C Rated Cables: Silver-coated copper braid an aluminum/ polyimide foil wrap 150°C Rated Cables: Tincoated copper braid an aluminum/polyester foil wrap

· Jacket

FEP, in colors per MIL-

ENVIRONMENTAL/MECHANICAL

- Temperature Range: -55°C to 150°C or 200°C
- · Bend Radius (Min.):
- 24 AWG: 1.0 in.
- · 26 AWG: 0.75 in.

COMPATIBLE

 Fit most high-speed aerospace connectors, including Te's CeeLok FAS-T and CeeLok FAS-X connectors

APPLICATIONS

- · Military and Commercial Aerospace
- · In-Flight Entertainment Systems
- · Flight Control
- Avionics
- · Cabin Management Systems
- · Military Ground Vehicles
- · Formula 1 Motorsport

ELECTRICAL

- · Standard Impedance (Nom): 100 ohms
- Attenuation (Max.) at 500 MHz:
 24 AWG: 54.4 ohms/100m
 26 AWG: 67.9 ohms/100m
- · Mutual Capacitance (Max.) at 1 kHz: 5.6 nF/100 m
- · DC Resistance (Nom.) at 20°C: 43.9 ohms/1000 ft.
- · Velocity of Propagation (Nom.): 70%

STANDARDS/SPECIFICATIONS

- Ethernet Cable: ANSI/TIA-568-C.2 and IEEE 801.3
- Environmental Testing: WC 27500/AS6070
- Smoke and toxicity: Boeing and Airbus ABD0031 standards FAR Part 25, Appendix F, Part 1
- TE Product Specification: 1200/1400





DC Solar Cables

DC SOLAR CABLES for ON-GRID / OFF -GRID APPLICATION - SPECIFICATION



General Description

Flexible Single core cable with flexible electroplated tinned copper conductor insulated with special Halogen free cross linked Polyofin (XLPO).

As per EN - 50618 (XLPO), low smoke zero halogen sheathed,

UV and Ozone resistant. The cable is able to satisfy the latest requirement for PV systems as per EN 50618, IEC-60227/60502, IS-694.

Applications

Flexible cables suitable for:

- · Mobile & fixed installations.
- Connection between photovoltaic
- · Panels to junction Box/Inverter.
- · Indoor & outdoor use in dry,
- · Damp and wet situations.
- · On trays and in ducts open and closed.

Construction

Conductor: Electrolytic annealed electroplated tinned copper conductor, Class - 5 IEC 60228/ IS 8130.

Insulation & Outer Sheath:-

Halogen free cross linked Polyofin (XLPO) As per EN - 50618 (XLPO).

1x1014 Ohm cm @ 20°C & 1x1012 Ohm cm @ 90°C. (Specific volume resistance to IEC: 50395-8.2)

Technical Data Sheet For Solar Cable

Photovoltaic Cable (Solar Cable)

TYPE-1 Dimensions of Solar D.C. Cables From PV Module to Array Junction Box & MIB to Inverter as per EN - 50618 : 2014

					,				
Single Core			XL-LSOH Insulation	XL-LSOH Sheath	Overall Diameter	Maximum Conductor Resistance	Current Carrying capacity of DC solar cable with XL-LSOH insulation & XL-LSOH sheathing at 60°C		
Single Core Size (sqmm)	Maximum Wire size	No of wire	Thickness Nominal (mm)	Thickness Nominal (mm)	Nominal (mm)	at 20°C ohm/km (Tinned Copper)	Single cable in Air (Amp.)	Single cable on surface (Amp.)	Two adjacent cable on surface (Amp.)
1.50	0.26	30	0.70	0.80	5.40	13.70	30	29	24
2.50	0.26	50	0.70	0.80	5.90	8.21	41	39	33
4.00	0.31	56	0.70	0.80	6.60	5.09	55	52	44
6.00	0.31	84	0.70	0.80	7.40	3.39	70	67	57
10.00	0.41	80	0.70	0.80	8.80	1.95	98	93	79
16.00	0.41	126	0.70	0.90	10.10	1.24	132	125	107
25.00	0.41	196	0.90	1.00	12.50	0.795	176	167	142
35.00	0.41	276	0.90	1.10	14.00	0.565	218	207	176
50.00	0.41	396	1.00	1.20	16.30	0.393	274	260	219
70.00	0.41	556	1.00	1.20	18.70	0.277	406	386	325
95.00	0.41	756	1.10	1.30	20.80	0.210	491	467	393



TYPE-2

Dimensions of Solar D.C. Cables From PV Module to Array Junction Box (As per IS: 694 & IS:1554 Part-1 Guideline)

Single	Maximum		HR 105°C Insulation		105°C	Overall C		Maximum Conductor Resistance	solar c Insulation 8	arrying capo able with HR UV stabilise eathing at 40	105°C d HR 105°C
Core Size (sqmm)	Maximum Wire size	No of wire	Thickness Nominal (mm)	Thickness Nominal (mm)	Diameter Nominal (mm)	at 20°C ohm/ km (Bare Copper)	Single cable in Air (Amp.)	Single cable on surface (Amp.)	Two adjacent cable on surface (Amp.)		
1.50	0.26	30	0.70	0.80	5.40	13.70	28	26	22		
2.50	0.26	50	0.70	0.80	5.90	8.21	39	37	31		
4.00	0.31	56	0.70	0.80	6.60	5.09	50	48	40		
6.00	0.31	84	0.70	0.80	7.40	3.39	64	61	51		
10.00	0.41	80	0.70	0.80	8.80	1.95	89	84	71		
16.00	0.41	126	0.70	0.90	10.10	1.24	119	113	95		
25.00	0.41	196	0.90	1.00	12.50	0.795	150	143	120		
35.00	0.41	276	0.90	1.10	14.00	0.565	191	182	153		
50.00	0.41	396	1.00	1.20	16.30	0.393	253	240	202		
70.00	0.41	556	1.00	1.20	18.70	0.277	374	350	299		
95.00	0.41	756	1.10	1.30	20.80	0.210	451	429	361		

TYPE-3

Dimensions of Solar D.C. Cables From PV Module to Array Junction Box (As per IS: 7098 Part-1 Guideline)

Single	Maximum		XLPE UV ST-2 Insulation Sheath		XLPE UV ST-2 Overall Conducto	Sheath	on Sheath	Overall	Diameter	Maximum Conductor Resistance	D) (C CT C - - - - 100C			
Core Size (sqmm)	Wire size	No of wire	Thickness Nominal (mm)	Thickness Nominal (mm)	Nominal (mm)	at 20°C ohm/km (Bare Copper)	Single cable in Air (Amp.)	Single cable on surface (Amp.)	Two adjacent cable on surface (Amp.)					
1.50	0.26	30	0.70	0.80	5.40	13.70	25	24	20					
2.50	0.26	50	0.70	0.80	5.90	8.21	35	33	28					
4.00	0.31	56	0.70	0.80	6.60	5.09	45	43	36					
6.00	0.31	84	0.70	0.80	7.40	3.39	58	55	46					
10.00	0.41	80	0.70	0.80	8.80	1.95	80	76	64					
16.00	0.41	126	0.70	0.90	10.10	1.24	106	101	85					
25.00	0.41	196	0.90	1.00	12.50	0.795	135	128	108					
35.00	0.41	276	0.90	1.10	14.00	0.565	173	164	138					
50.00	0.41	396	1.00	1.20	16.30	0.393	226	215	181					
70.00	0.41	556	1.00	1.20	18.70	0.277	336	319	269					
95.00	0.41	756	1.10	1.30	20.80	0.210	406	386	325					



Coaxial Cables (RG6)



HPL Coaxial Cables are designed to be used at homes for television sets and also in security agencies for advanced data transmission.

Salient Features

- Protects signals from external electromagnetic interference
- · Very low Attenuation or signal losses
- For both analog and digital transmission
- · Special jacketing offers increased life even in rugged conditions
- · Jelly flooded

Technical Details

- Conductor: The central conductor is made of solid electrolytic grade annealed bare copper (BC) conductor or copper clad steel (CCS) conductor.
- Insulation: The insulation provided over the conductor is of foam PE dielectric insulator with gas injucted in it to reduce signal loss.
- Screen: Aluminium mylar tape is provided over the insulated conductor to shield the conductor and ensure disturbance-free transmission of signals.
- Braiding: The braiding is generally provided with 60% coverage of Aluminium-Magnesium alloy.
- Packing: Available in 100 meter packed in carton and 305 meter packed in easy pull box. Higher lengths available on special request.

Cable Cross Section View

TECHNICAL S	PECIFICATION OF RG6 COAXIAL CABLE (JE	LLY FLOODED)	
Properties	Unit	Specification	
Construction Parameters			
Conductor Material		Solid bare copper / CCS	
Nominal Diameter	mm	1.02 ± 0.01	
Insulation Material		Foam P.E	
Nominal Diameter of Foam	mm	4.57 ± 0.1	
Centricity	%	≥ 85	
Shield Material		Bonded Aluminium Foil	
Braiding Material		Aluminium - Magnesium Alloy	
Braiding Coverage		16□6□0.12mm (63%)	
Jacket Material		PVC	
Nominal Diameter of PVC Jacket	mm	7.0 ± 0.1	
Colour		Black	
Bending Radius	mm	60	
Electrical Parameters			
Nominal Impedance	Ω	75±3	
Nominal Velocity of Propagation	%	85	
Nominal Capacitance	pf/mtr	50	
Insulation Resistance	MΩ/km	≥100000	
Structural Return Loss (5 to 300 MHz)	dB	20	
Structural Return Loss (300 to 1000 MHz)	dB	18	
Performance			
Frequency MHz		Attenuation @ 68°F (20°C)	
55	dB/100 m (Max)	5.2	
200	dB/100 m (Max)	9.9	
400	dB/100 m (Max)	13.3	
750	dB/100 m (Max)	18.3	
865	dB/100 m (Max)	19.9	
1000	dB/100 m (Max)	21.4	



Telephone Cables



HPL twisted paired cables are best suited for telephone and switchboard cabling applications. The cables can be used for switchboard and internal telephone wiring in apartments, high-rise buildings, offices, factories, hotels, residential complexes, etc. The most common sizes are 2 Pair, 3 Pair, 4 Pair and 5 Pair in conductor of 0.4 mm or 0.5 mm.

Salient Features

- · Low Power Loss
- · Low Crosstalk
- · Fire Retardant Sheath
- · Low attenuation

Range of Product

·1 Pair to 20 Pair (0.4 mm / 0.5 mm)

Technical Details:

- Conductor: The central conductor is made of bare annealed solid electrolytic grade of copper.
- Insulation: Premium quality HDPE is used. This serves for low attenuation and minimized cross talk.
- Twisted Pairs: The cores are carefully twisted with suitable lays and bunched together.
- Packing: Available in 90 meter packed in carton and 500 meter packed in easy pull box. Higher lengths available on special request.

S. No.	Technical Parameters			Requirements		
Α	Physical Parameter					
1	Construction	1 Pair	2 Pair	3 Pair	5 Pair	5 Pair
2	Conductor Material: 0.4 mm diameter (nom.) & 0.5 mm diameter (nom.)	Solid Annealed Bare Copper of Conductivity 102% IACS & Purity 99.97%				
3	Insulation Material (0.4 & 0.5 mm dia.)		High [Density Polyeth	nylene	
4a	Insulation Thickness (Average) for 0.4 mm dia.	0.17 mm	0.17 mm	0.17 mm	0.17 mm	0.17 mm
4b	Insulation Thickness (Average) for 0.5 mm dia.	0.20 mm	0.20 mm	0.20 mm	0.20 mm	0.20 mm
5a	Diameter of Insulated Conductor for 0.4 mm dia.	0.74 mm	0.74 mm	0.74 mm	0.74 mm	0.74 mm
5b	Diameter of Insulated Conductor for 0.5 mm	0.92 mm	0.92 mm	0.92 mm	0.92 mm	0.92 mm
6	Rip cord (0.4 & 0.5 mm dia.)			Nylon		
		White-Blue	White-Blue	White-Blue	White-Blue	White-Blue
_	Colour Combination	-	White- Orange	White- Orange	White- Orange	White- Orange
7		-	-	White-Green	White-Green	White-Green
		-	-	-	White-Brown	White-Brown
		-	-	-	-	White-Grey
8a	PVC Jacket (0.4mm & 0.5mm diameter)	FR-PVC	compound v	vith high oxyge	en index (LOI	= 29%)*
8b	PVC Thickness Minimum (in mm)	1.1	1.1	1.1	1.2	1.2
9	Approx. Outer Diameter (for 0.4 mm)	2.4	3.1	3.5	3.9	4.3
10	Approx. Outer Diameter (for 0.5 mm)	3.1	3.9	4.2	5.1	5.6
11	Packing Length (meters)	90	90	90	90	90
В	Electrical Parameters					
1	Conductor Resistance (max.) ohms/km at 20°C	$143~\Omega$ / km fc	or 0.4 mm diar	neter & 92.2 Ω	/ km for 0.5 r	nm diameter
2	Mutual Capacitance (max.) Nano Farads/km	50	50	50	50	50
3	Insulation Resistance in Air (min.) Meg-ohms/km	10000	10000	10000	10000	10000
4	Capacitance Unbalance Pair to Pair (max.)	250	250	250	250	250



CCTV Cables



HPL CCTV Cables are offered in two types normally 4+1 CCTV Cables & 3+1 CCTV Cables. Co-axial Cables form the carrier for video signal and the other '4cores' or 3 cores' form the carriers for power. Co-axial cables are designed to transmit the complete video frequency range with minimum distortion or attenuation, making them an excellent choice for CCTV. HPL CCTV cables are designed to optimize the quality of video signal, which are transmitted through the Coaxial cable in the CCTV cable. The Coaxial cable consists of solid annealed bare copper conductor of electrolytic grade which is insulated with special grade HDPE dielectric, braided with aluminium Alloy or copper braiding and then jacketed with FR PVC.

Topmost quality of construction of co-axial cable in HPL CCTV cables ensures distortion free video signals and thus a clear picture over complete low frequency bandwidth of transmission in such applications. The impedance of coaxial cable is 75, which matches the CCTV equipment. This matching ensures adequate signal strength, no reflection and best picture quality. In CCTV the coaxial Cable is of type RG-59 which has highest attenuation compared to RG-6 and RG-11. Hence, it is recommended for us only electrical properties such as low capacitance and high velocity of propagation. This results in lowloss characteristic and reduced attenuation of the video signal.

Aluminium foil and Aluminium Alloy braiding of 60% coverage ensures complete elimination of EMI/RFI from the video signals and also provides a reduced DC resistance ground path. Jacketing with FR PVC is ideal for all indoor and outdoor applications.





Technical Data

	PARAMETERS		CCTV (3 + 1)	CCTV (4 + 1)
	Name of Manufacturer	Unit	HPL ELECTRIC & POWER LTD.	HPL ELECTRIC & POWER LTD
A. C	ONDUCTOR			
(i)	Conductor for 3 & 4 core (Electric Wire)			
	(a) Type	-	ABC Flexible Conductor	ABC Flexible Conductor
	(b) No of wire	Nos.	14	14
	(c) Nominal Strand Diameter	mm	0.120	0.120
(ii)	Conductor for Coxial Cable			
	(a) Type	-	Solid Annealed Bare Copper Conductor	Solid Annealed Bare Copper Conductor
	(b) No of wire	Nos.	1	1
	(c) Nominal Strand Diameter	mm	0.500	0.500
B. Bro	iding for Coaxial Cable			
	(a) Type	-	Aluminium Alloy Braiding	Aluminium Alloy Braiding
	(b) Total no of wire	Nos.	64	64
	(c.)No. of wires in each spindle	Nos.	4	4
	(d) Total no of spindle	Nos.	12	12
	(e) Nominal Diameter of Braiding wire	mm	0.112	0.112
	(f) Minimum Coverage	%	60	60
C. Po	lyster Tape over laid up			
	(a) Dimension	mm	16.00 x 0.050	16.00 x 0.050
	(b) Minimum Overlap	%	25	25
D. Ins	sulation	,-		
1	Dimension for 3 Core			
	(a) Type of Insulation	_	HDPE	HDPE
	(b) Core Colour	Visual	Red, Yellow & Blue	Red, Yellow, Blue & Black
	(c) Maximaum Diameter of Core	mm	1.40	1.40
	(d) Nominal Thickness of Insulation	mm	0.45	0.45
2	Dimension for Coaxial Cable	111111	0.45	0.43
(i)	(a) Type of Insulation		HDPE	HDPE
(1)	(b) Core Colour	- Visual	Natural	Natural
	· ,		1.50	1.50
	(c) Maximaum Diameter of Core	mm		
/::\	(d) Nominal Thickness of Insulation	mm	0.50	0.50
(11)	(a) Type of Jacket	-	PVC	PVC
	(b) Core Colour	Visual	Black	Black
	(c) Maximaum Diameter of Jacket	mm	2.70	2.70
	(d) Nominal Thickness of Jacket	mm	0.45	0.45
E. Ou	ter Sheath			
	(a) Type of Outer Sheath	-	ST-1	ST-1
	(b) Sheath Colour	Visual	White	Grey
	(c) Maximaum Diameter of Core	mm	6.00	6.70
	(d) Nominal Thickness of Insulation	mm	0.80	0.80
	(e) Bending Radius	mm	65	65
	Cord	-	Applicable	Applicable
G. Ele	ectrial Parameters			
	(a) Maximum Resistance at 20°C	ohm/km	110 .00	110 .00
	(b) Nominal Capacitance	pf/mtr	53.0	53.0
	(c) Impeadence	ohm	75.0	75.0
	(e) Nominal Velocity Ratio	%	85.0	85.0



Speaker Cables:

Insulated with specially formulated FR (Fire Retardant) grade PVC compound. HPL twin parallel type speaker cables are manufactured with multi wire, bright annealed flexible bare electrolytic grade conductor, insulated with specially formulated and manufactured in FR (Fire retardant) grade PVC compound. Each core is uniquely designed for easy identification. The distance between the two conductors is maintained consistently for uniform capacitance throughout the length. This highest safety against the fire is offered by the use of FR grade crystal PVC compound with high value of Oxygen and temperature Index. These cables are uniquely available in natural color. These are highly recommended for use in connecting Speakers, used in Public Address systems installed in large residential complexes, (as per new building code) for clear and distortion free voice with very low db loss.

Illustration:

To use this table for the selection of the cable is for example we can use maximum length of 14 AWG cable in 8 ohm speaker system with power loss of 21% (3.2db)

S. No.	Size in Samm	Radial Thickness in Core Diameter in mm		Maximum Conductor	Nominal Overall Diameter in mm	
3. 113.		Nom.	Avg.	Resistance at 20°C (ohm/km)	Width X Hight	
1	2C x 0.75	0.90	2.90	26.00	6.10 x 2.90	
2	2C x 1.00	1.00	3.30	19.5	6.90 x 3.30	
3	2C x 1.50	1.10	3.70	13.3	7.80 x 3.70	
4	2C x 2.50	1.10	4.15	7.98	8.70 x 4.12	





Flat Elevator Cables



HPL Flat Elevator cables is a harmonized, flexible, 450/750 volt, PVC flat festoon control cable. Mainly used as a trailing cable for crane installations, floor conveyor systems, elevator control cables, shelf control units and in supply lines for moving machine parts. The flat construction allows cables to be stacked for applications where space is at a minimum and require smaller bending radius over that of round cables. Suitable for installations in dry and damp rooms. The outer PVC jacket is extensively resistant to oil, fat, acid and lye. standards and only available in 20AWG (0.50mm2), 18 AWG (0.75mm2) and 17 AWG (1.0mm2) 15 AWG (1.5mm2) sizes.

Construction

Fine bare copper strands Strands to Class-5, IEC 60228 CI-5 PVC core insulation Color code IEC 60227 with ground Cores laying parallel PVC outer jacket - Black Extremely oil & chemical resistant

Technical

Working Voltage: 300/500 V (H05) Working Voltage: 450/750 V (H07)

Test Voltage: 3000 volts
Flexing Bending Radius: 10 x O
Flexing Temp: -50C to +70oC
Static Temp: -30oC to +70oC
Flame Retardant: IEC 60332.1
Insulation Resistance: > 36.7 MΩ km

SIZE	NO. OF WIRE/SIZE	NO. OF CORE	NOMINAL OD
(IN SQ.MM)	(NOS./MM)	(NOS.)	WxH (MM x MM)
0.5	16/0.20	12	30.70 x 4.40
0.75	24/0.20	12	33.15 x 4.65
1.0	32/0.20	12	35.50 x 4.80
1.5	48/0.20	12	39.00 x 5.10
0.5	16/0.20	6	17.70 × 4.40
0.75	24/0.20	6	18.90 x 4.65
1.0	32/0.20	6	20.10 x 4.80
1.5	48/0.20	6	21.90 x 5.10





HPL OIL Resistant Battery Cables

Battery cables are used in Original Equipment by Indian Leading vehicle manufacturers. These cables are manufactured from electrolytic grade bright Annealed, bunched, bare copper conductors & insulated with a special grade PVC compound. This PVC is impervious to water, Petrol, Diesel, Acids, Engine & Lubricating oils & grease etc. These cables are ideally suited for extreme weather conditions & undergo stringent quality checks during manufacturing process & at final stage too. They are available in Red & Black colour or Red & White colours in 100 meter coils/Drums or as per customer Requirement.

	PVC II	NSULATED BATTERY C.	ABLES AS PER IS - 2465	5:1984			
	Conductor		Cable Parameter				
Nominal Area	No of Wire / Dia of Strands (Nom.)	Resistance at 20°C (max.)	Radial Thi Insulatio	ickness of n (Nom.)	Overall Diameter (Approx.)		
Sqmm	mm	ohm/km	m	m	mm		
10	80/0.4	1.910	1.0	00	6.30		
16	126/0.4	1.210	1.0	00	7.25		
25	196/0.4	0.780	1.:	20	8.80		
35	276/0.4	0.554	1.:	20	10.35		
50	396/0.4	0.386	1.2	12.25			
70	556/0.4	0.272	1.	13.90			
95	756/0.4	0.206	1.0	60	15.85		
120	954/0.4	0.161	1	60	17.75		
150	1192/0.4	0.129	1.8	80	18.85		
185	1472/0.4	0.106	2.	00	22.00		
240	1910/0.4	0.0801	2.	20	25.00		
	PVC INSULATED HI	GH TENSION CABLES	(IGNITION CABLES) II	N BLACK COLOUR			
	Conductor			Cable Parameter			
Nominal Area	No of Wire / Dia of Strands (Nom.)	Resistance at 20°C (max.)	Radial Thickness of Inner (Red)	Radial Thickness of Outer (Black)	Overall Diameter (Approx.)		
Sqmm	mm	ohm/km	mm	mm	mm		
1.2*	17/0.3	15.36	1.0	1.75	7.10		
1.3*	19/0.3	14 01	1.0	1.75	7 10		









PVC insulated and PVC sheathed to IEC 60502 0.6/1 kV



Cable Description

Conductor Plain annealed stranded copper Sizes 1.5 mm², 2.5 mm², 4 mm² PVC (polyvinyl chloride)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/C >5 cores will be black continuously numbered

Assembly Cores twisted together to form a round assembly cable with fillers when necessary

Outer sheath PVC (polyvinyl chloride)

Application

For outdoor and indoor installations in damp and wet locations, connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations. They are laid in air, in ducts, In trenches, in steel support brackets or direct in ground, when well protected

	Nominal Cross	No. of Cores Nominal Thick-ness of insulation (mm)	Nominal Thick	Cur	rent Rating	(A)	Approx.	Approx.
S. No.	S NO SECTIONAL		Ground	Duct	Air	Overall Diameter (mm)	Net Weight (kg/km)	
1		5	0.8	14.7	12.6	13.5	11.5	210
2		7	0.8	12.6	10.8	11.7	12.7	242
3		10	0.8	10.5	9	9.9	15.9	333
4		12	0.8	9.4	8.1	9	16.4	382
5		14	0.8	9.4	8.1	9	17.2	434
6	1.5	16	0.8	8.4	7.2	8.1	18.1	492
7		19	0.8	8.4	7.2	8.1	19.1	564
8		24	0.8	7.3	6.3	7.2	22.2	702
9		30	0.8	6.3	5.4	6.3	23.5	850
10		37	0.8	6.3	5.4	6.3	25.4	1026
11		44	0.8	4.2	3.6	4.5	28.5	1212
12		5	0.8	18.9	16.1	16.5	12.8	280
13		7	0.8	16.2	13.8	14.3	14.1	328
14		10	0.8	13.5	11.5	12.1	17.7	456
15		12	0.8	12.1	10.3	11	18.3	528
16		14	0.8	12.1	10.3	11	19.2	602
17	2.5	16	0.8	10.8	9.2	9.9	20.2	685
18		19	0.8	10.8	9.2	9.9	21.3	789
19		24	0.8	9.4	8	8.8	24.9	985
20		30	0.8	8.1	6.9	7.7	26.4	1199
21		37	0.8	8.1	6.9	7.7	28.5	1454
22		44	0.8	5.4	4.6	5.5	32.3	1733
23		5	1.0	24.5	21	23.2	15.2	412
24		7	1.0	21	18	20.1	16.8	483
25		10	1.0	17.5	15	17	21.3	675
26		12	1.0	15.7	13.5	15.5	22.1	786
27	4	14	1.0	15.7	13.5	15.5	23.2	901
28	7	16	1.0	14	12	13.9	24.5	1028
29		19	1.0	14	12	13.9	25.9	1189
30		24	1.0	12.2	10.5	12.4	30.5	1494
31		30	1.0	10.5	9	10.8	32.4	1835
32		37	1.0	10.5	9	10.8	35.2	2239

 ${\tt Notes:} \ {\tt For \ different \ insulation \ and \ sheathing \ materials \ other \ than \ PVC, \ Customer \ has \ to \ specify.$



PVC insulated , Copper tape screened and PVC sheathed to IEC 60502 - 0.6/1 kV



Cable Description

Conductor Plain annealed stranded copper

Sizes 1.5 mm² 2.5 mm² 4 mm² Core insulation PVC (polyvinyl chloride)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/G >5 cores will be black continuously numbered

Assembly Cores twisted together to form a round assembly cable with fillers when necessary

Inner sheath PVC (polyvinyl Chloride) or binder tape

Screening Copper tape helically applied Outer sheath PVC (polyvinyl chloride)

Application

For outdoor and indoor installations in damp and wet locations, connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations. They are laid in air, in ducts, In trenches, in steel support brackets or direct in ground, when well protected

	Nominal Cross	No. of Nominal Cores Thickness of insulation (mm)	.,	Cur	rent Rating	(A)	Approx.	Approx
S. No.			Ground	Duct	Air	Overall Diameter (mm)	Approx. Net Weight (kg/km)	
1		5	0.8	13.9	11.9	12.8	13.3	290
2		7	0.8	11.9	10.2	11.1	14.5	330
3		10	0.8	9.9	8.5	9.4	1707	443
4		12	0.8	8.9	7.6	8.5	1802	496
5		14	0.8	8.9	7.6	8.5	19	553
6	1.5	16	0.8	7.9	6.8	7.6	19.9	617
7		19	0.8	7.9	6.8	7.6	20.9	696
8		24	0.8	6.9	5.9	6.8	24	856
9		30	0.8	5.9	5.1	5.9	25.3	1012
10		37	0.8	5.9	5.1	5.9	27.2	1201
11		44	0.8	3.9	3.4	4.2	30.3	1407
12		5	0.8	17.9	15.2	15.6	14.6	369
13		7	0.8	15.3	13.1	13.5	15.9	425
14		10	0.8	12.8	10.9	11.4	19.5	578
15		12	0.8	11.5	9.8	10.4	20.1	654
16		14	0.8	11.5	9.8	10.4	21	734
17	2.5	16	0.8	10.2	8.7	9.4	22	824
18		19	0.8	10.2	8.7	9.4	23.1	936
19		24	0.8	8.9	7.6	8.3	26.7	1157
20		30	0.8	7.6	6.5	7.3	28.2	1381
21		37	0.8	7.6	6.5	7.3	30.3	1651
22		44	0.8	5.1	4.3	5.2	34.4	1981
23		5	1.0	23.2	19.9	22	17	517
24		7	1.0	19.9	17.1	19.1	18.6	599
25		10	1.0	16.6	14.2	16.1	23.1	822
26		12	1.0	14.9	12.8	14.7	23.9	938
27	4	14	1.0	14.9	12.8	14.7	25	1060
28	4	16	1.0	13.3	11.4	13.2	26.3	1197
29		19	1.0	13.3	11.4	13.2	27.7	1367
30		24	1.0	11.6	9.9	11.7	32.6	1730
31		30	1.0	9.9	8.5	10.3	34.6	2085
32		37	1.0	9.9	8.5	10.3	37.4	2514

Notes: For different insulation and sheathing materials other than PVC, Customer has to specify.



PVC insulated , Steel wire armored and PVC sheathed to IEC 60502-1 0.6/1 KV

Cable Description

Conductor Plain annealed stranded copper

Sizes 1.5 mm² 2.5 mm² 4 mm² Core insulation PVC (polyvinyl chloride)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/G >5 cores will be black continuously numbered

Assembly Cores twisted together to form a round assembly cable with fillers when necessary

Inner sheath PVC (polyvinyl Chloride)
Screening Galvanized round steel wire
Outer sheath PVC (polyvinyl chloride)

Application

For outdoor installation in damp and wet locations, laid direct in the ground, where mechanical damages are expected to occur. They are normally used in connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations.

	Nominal				rent Rating	(A)	Amman	
S. No.	Cross sectional area (mm2)	No. of Cores	Nominal Thick- ness of insulation (mm)	Ground	Duct	Air	Approx. Overall Diameter (mm)	Approx. Net Weight (kg/km)
1		5	0.8	13.9	11.9	12.8	15	425
2		7	0.8	11.9	10.2	11.1	16.2	478
3		10	0.8	9.9	8.5	9.4	20.3	765
4		12	0.8	8.9	7.6	8.5	20.8	826
5		14	0.8	8.9	7.6	8.5	21.6	900
6	1.5	16	0.8	7.9	6.8	7.6	22.5	981
7		19	0.8	7.9	6.8	7.6	24.1	1203
8		24	0.8	6.9	5.9	6.8	27.3	1448
9		30	0.8	5.9	5.1	5.9	28.6	1633
10		37	0.8	5.9	5.1	5.9	30.6	1872
11		44	0.8	3.9	3.4	4.2	33.9	2178
12		5	0.8	17.9	15.2	15.6	16.2	517
13		7	0.8	15.3	13	13.5	18.5	417
14		10	0.8	12.8	10.9	11.4	22.1	933
15		12	0.8	11.5	9.8	10.4	22.6	1017
16		14	0.8	11.5	9.8	10.4	24.2	1240
17	2.5	16	0.8	10.2	8.7	9.4	25.3	1395
18		19	0.8	10.2	8.7	9.4	26.4	1499
19		24	0.8	8.9	7.6	8.3	30.1	1827
20		30	0.8	7.6	6.5	7.3	31.6	2085
21		37	0.8	7.6	6.5	7.3	33.9	2422
22		44	0.8	5.1	4.3	5.2	38.9	3112
23		5	1	24.5	21	23.2	19.6	822
24		7	1	21	18	20.1	21.2	739
25		10	1	17.5	15	17	26.4	1385
26		12	1	15.7	13.5	15.5	27.12	1531
27	4	14	1	15.7	13.5	15.5	28.3	1682
28	'	16	1	14	12	13.9	29.7	1851
29		19	1	14	12	13.9	31.1	2054
30		24	1	12.2	10.5	12.4	37.1	2789
31		30	1	10.5	9	10.8	39	3215
32		37	1	10.5	9	10.8	41.8	3739

Notes: For different insulation and sheathing materials other than PVC, Customer has to specify.



XLPE insulated and PVC sheathed to IEC 60502-1 0.6/1 KV

Cable Description

Conductor Plain annealed stranded copper

Sizes 1.5 mm² 2.5 mm² 4 mm²

Core insulation XLPE (Cross linked Polyethylene)
Alternatives LSOH (Low smoke zero halogen)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/G Assembly >5 cores will be black continuously numbered

Cores twisted together to form a round assembly cable with fillers when necessary

Outer sheath PVC (Polyvinyl chloride)

Alternatives LSOH (Low smoke zero halogen)

Application

For outdoor and indoor installations in damp and wet locations, connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations. They are laid in air, in ducts, In trenches, in steel support brackets or direct in ground, when well protected

	Nominal Cross		Nominal	Curr	ent Rating	(A)	Approx.	Approx.
S. No.	sectional area (mm2)	No. of Cores	Thickness of insulation (mm)	Ground	Duct	Air	Overall Diameter (mm)	Net Weight (kg/km)
1		5	0.7	18.2	16.1	16.5	11	181
2		7	0.7	15.6	13.8	14.3	21.1	206
3		10	0.7	13	11.5	12.1	15.1	283
4		12	0.7	11.7	10.3	11	15.6	323
5		14	0.7	11.7	10.3	11	16.3	356
6	1.5	16	0.7	10.4	9.2	9.9	17.2	413
7		19	0.7	10.4	9.2	9.9	18.1	472
8		24	0.7	9.1	8	8.8	21	586
9		30	0.7	7.8	6.9	7.7	23.2	705
10		37	0.7	7.8	6.9	7.7	24	849
11		44	0.7	5.2	4.6	5.5	27	1001
12		5	0.7	24.5	20.3	24	12.2	246
13		7	0.7	21	17.4	20.8	13.5	286
14		10	0.7	17.5	14.5	17.6	16.9	396
15		12	0.7	15.7	13	16	17.5	456
16		14	0.7	15.7	13	16	18.3	519
17	2.5	16	0.7	14	11.6	14.4	19.3	590
18		19	0.7	14	11.6	14.4	20.3	678
19		24	0.7	12.2	10.1	12.8	23.7	846
20		30	0.7	10.5	8.7	11.2	25.1	1027
21		37	0.7	10.5	8.7	11.2	27.1	1234
22		44	0.7	7	5.8	8	30.6	1473
23		5	0.7	31.5	25.2	30.7	13.6	336
24		7	0.7	27	21.6	26.6	15	599
25		10	0.7	22.5	18	22.5	18.9	552
26		12	0.7	20.2	16.2	20.5	19.6	641
27	4	14	0.7	20.2	16.2	20.5	20.6	733
28	7	16	0.7	18	14.4	18.4	21.7	835
29		19	0.7	18	14.4	18.4	22.9	965
30		24	0.7	15.7	12.6	16.4	26.8	1207
31		30	0.7	13.5	10.8	14.3	28.4	1474
32		37	0.7	13.5	10.8	14.3	30.8	1798

Notes: For different insulation and sheathing materials other than PVC, Customer has to specify.



XLPE insulated, copper tape screened and PVC sheathed to IEC 60502-1 0.6/1 KV

Cable Description

Conductor Plain annealed stranded copper

Sizes 1.5 mm² 2.5 mm² 4 mm² Core insulation XLPE (Cross linked Polyethylene)

Alternatives LSOH (Low smoke zero halogen)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/G

>5 cores will be black continuously numbered

Assembly Cores twisted together to form a round assembly cable with fillers when necessary

Inner Sheath PVC (polyvinyl chloride)

Alternatives LSOH (Low smoke zero halogen)
Screening Copper tape helically applied
Outer sheath PVC (polyvinyl chloride)

Alternatives LSOH (Low smoke zero halogen)

Application

For outdoor and indoor installations in damp and wet locations, connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations. They are laid in air, in ducts, In trenches, in steel support brackets or direct in ground, when well protected

	Nominal			Curr	ent Rating	(A)	Approx.	
S. No.	Cross sectional area (mm2)	No. of Cores	Nominal Thick- ness of insulation ((mm	Ground	Duct	Air	Overall Diameter ((mm	Approx. Net Weight (kg/km)
1		5	0.7	17.2	15.2	15.6	12.8	257
2		7	0.7	14.8	13.1	13.5	14	290
3		10	0.7	12.3	10.9	11.4	16.9	387
4		12	0.7	11.1	9.8	10.4	17.4	430
5		14	0.7	11.1	9.8	10.4	18.1	478
6	1.5	16	0.7	9.8	8.7	9.4	19	532
7		19	0.7	9.8	8.7	9.4	19.9	596
8		24	0.7	8.6	7.6	8.3	22.8	731
9		30	0.7	7.4	6.5	7.3	24	858
10		37	0.7	7.4	6.5	7.3	25.8	1014
11		44	0.7	4.9	4.3	5.2	28.7	1186
12		5	0.7	23.2	19.2	22.8	14	330
13		7	0.7	19.9	16.5	19.7	15.3	379
14		10	0.7	16.6	13.7	16.7	18.7	512
15		12	0.7	14.9	12.3	15.2	19.3	577
16		14	0.7	14.9	12.3	15.2	20.1	646
1 <i>7</i>	2.5	16	0.7	13.3	11	13.6	21.1	723
18		19	0.7	13.3	11	13.6	22.1	818
19		24	0.7	11.6	9.6	12.1	25.5	1009
20		30	0.7	9.9	8.2	10.6	26.9	1200
21		37	0.7	9.9	8.2	10.6	29	1430
22		44	0.7	6.6	5.5	7.6	32.8	1710
23		5	0.7	29.9	23.9	29.2	25.4	729
24		7	0.7	25.6	20.5	25.3	16.8	499
25		10	0.7	21.3	17.1	21.4	20.7	682
26		12	0.7	19.2	15.3	19.4	21.4	776
27	4	14	0.7	19.2	15.3	19.4	22.4	875
28	4	16	0.7	17.1	13.6	17.5	23.5	985
30		19	0.7	17.1	13.6	17.5	24.7	1123
31		24	0.7	14.9	11.9	15.5	28.6	1391
32		30	0.7	12.8	10.2	13.6	30.2	1669
33		37	0.7	12.8	10.2	13.6	32.9	2036

Notes: For different insulation and sheathing materials other than PVC, Customer has to specify. Values are approximate and subjected to normal manufacturing tolerance.



XLPE insulated, steel wire armored and PVC sheathed to IEC 60502-1 0.6/1 KV

Cable Description

Conductor Plain annealed stranded copper

Sizes 1.5 mm² 2.5 mm² 4 mm²

Core insulation XLPE (Cross linked Polyethylene)
Alternatives LSOH (Low smoke zero halogen)

Color coding 5 Cores Identification is Red, Yellow, Blue, Black, Y/G

>5 cores will be black continuously numbered

Assembly Cores twisted together to form a round assembly cable with fillers when necessary

Inner Sheath PVC (polyvinyl chloride)

Alternatives LSOH (Low smoke zero halogen)
Armor Galvanized round steel wire
Outer sheath PVC (polyvinyl chloride)

Alternatives LSOH (Low smoke zero halogen)

Application

For outdoor and indoor installations in damp and wet locations, connecting signaling and control units in industry, in railways, in traffic signals, in thermo power and hydropower stations. They are laid in air, in ducts, In trenches, in steel support brackets or direct in ground, when well protected

	Nominal			Curr	ent Rating	(A)		
S. No.	Cross sectional area (mm2)	No. of Cores	Nominal Thick- ness of insulation (mm)	Ground	Duct	Air	Approx. Overall Diameter (mm)	Approx. Net Weight (kg/km)
1		5	0.7	17.2	15.2	15.6	14.5	386
2		7	0.7	14.8	13	13.5	15.6	732
3		10	0.7	12.3	10.9	11.4	19.5	692
4		12	0.7	11.1	9.8	10.4	19.9	744
5		14	0.7	11.1	9.8	10.4	20.7	808
6	1.5	16	0.7	9.8	8.7	9.4	21.5	879
7		19	0.7	9.8	8.7	9.4	22.4	960
8		24	0.7	8.6	7.6	8.3	26.1	1295
9		30	0.7	7.4	6.5	7.3	27.3	1450
10		37	0.7	7.4	6.5	7.3	29.1	1652
11		44	0.7	4.9	4.3	5.2	32.2	1907
12		5	0.7	23.2	19.2	22.8	15.7	472
13		7	0.7	19.9	16.5	19.7	17.9	650
14		10	0.7	16.6	13.7	16.7	21.3	851
15		12	0.7	14.9	12.3	15.2	21.8	923
14		14	0.7	14.9	12.3	15.2	22.7	1009
16	2.5	16	0.7	13.2	11	13.6	24.4	1245
17		19	0.7	13.2	11	13.6	25.4	1353
18		24	0.7	11.6	9.6	12.1	28.8	1631
19		30	0.7	9.9	8.2	10.6	30.3	1870
20		37	0.7	9.9	8.2	10.6	23.4	2151
21		44	0.7	6.6	5.5	7.6	37.2	2795
22		5	0.7	32.2	25.9	31.5	17.9	710
23		7	0.7	27.6	22.2	27.3	19.4	805
24		10	0.7	23	18.5	23.1	24	1189
25		12	0.7	20.7	16.6	21	24.6	1297
26	4	14	0.7	20.7	16.6	21	25.6	1424
27	4	16	0.7	18.4	14.8	18.9	26.7	1562
28		19	0.7	18.4	14.8	18.9	27.9	1728
29		24	0.7	16.1	12.9	16.8	32.1	2112
30		30	0.7	13.8	11.1	14.7	33.8	2440
31		37	0.7	13.8	11.1	14.7	37.4	3120

Notes: For different insulation and sheathing materials other than PVC, Customer has to specify.





PVC insulation based on ISO 6722

Cable Description

Conductor Plain / tinned annealed copper

Insulation PVC (polyvinyl chloride) based on ISO 6722 class A Color code Color coded with or without stripes upon request

Temperature rating -40° C up to $+85^{\circ}$ C

Packing Cables are packed in carton boxes.

Application

 $This wire is used in the \,manufacture \,of \,electrical \,harnesses \,for \,cars \,and \,other \,automotive \,products.$

		Conductor			Maximum	Approx. Weight (Kg/Km)	
S. No.	Nominal Cross sectional area (mm2)	Nominal No. of wires x Max Wire Diameter (No. x mm)	Max Conductor DC Resistance at 20°C (Ohm/Km)	Nominal Insu- lation Thick- ness (mm)	Overall Diameter (mm)		
1	0.5	16 x 0.21	37.1	0.6	2.3	9	
2	0.75	24 x 0.21	24.7	0.6	2.5	12	
3	1	32 x 0.21	18.5	0.6	2.7	15	
4	1.5	30 x 0.26	12.7	0.6	3.0	20	
5	2	28 x 0.31	9.42	0.6	3.3	26	
6	2.5	50 x 0.26	7.6	0.7	3.6	32	
7	3	44 x 0.31	6.15	0.7	4.1	37	
8	4	56 x 0.31	4.71	0.8	4.4	49	
9	6	84 x 0.31	3.14	0.8	5.0	68	

Notes: Other Automotive wires types can be provided on specific request.



Heat - Resistant PVC Insulation based on ISO 6722



Cable Description

Conductor Plain / tinned annealed copper

Insulation Heat resistant PVC (polyvinyl chloride) based on ISO 6722 class B.

Color code Color coded with or without stripes upon request

Temperature rating - 40°C up to +100°C

Packaging Cables are packed in carton boxes.

Application

 $This wire is used in the \,manufacture \,of \,electrical \,harnesses \,for \,cars \,and \,other \,automotive \,products.$

	Conductor			No main all la quile	Approx.	Approv
S. No.	Nominal Cross sectional area (mm2)	No. of Wires x Max Wire Diameter (No. x mm)	Max Conductor DC Resistance at 20°C (Ohm/Km)	Nominal Insula- tion Thickness (mm)	Overall Diameter (mm)	Approx. Weight (Kg/Km)
1	0.5	16 x 0.21	37.1	0.6	2.3	9
2	0.75	24 x 0.21	24.7	0.6	2.5	11
3	1	32 x 0.21	18.5	0.6	2.7	14
4	1.5	30 x 0.26	12.7	0.6	3.0	19
5	2.5	50 x 0.26	7.6	0.7	3.6	31
6	4	56 x 0.31	4.71	0.8	4.4	49
7	6	84 x 0.31	3.14	0.8	5.0	68

Notes: Other Automotive wires types can be provided on specific request.



Heat – Pressure resistant PVC Insulation based on ISO 6722

Cable Description

Conductor Plain / tinned annealed copper

Insulation Heat resistant PVC (polyvinyl chloride) based on ISO 6722 class C. (Hot pressure resistance test at 120°C)

Color code Color coded with or without stripes upon request

Temperature rating - 40°C up to + 120°C

Packing Cables are packed in carton boxes.

Application

 $This wire is used in the \,manufacture \,of \,electrical \,harnesses \,for \,cars \,and \,other \,automotive \,products.$

		Nominal	Approx.	Approv		
S. No.	Nominal Cross sectional area (mm2)	No. of Wires x Max Wire Diameter (No. x mm)	Max Conductor DC Resistance at 20°C (Ohm/Km)	Insulation Thickness (mm)	Overall Diameter (mm)	Approx. Weight (Kg/Km)
1	0.5	16 x 0.21	37.1	0.6	2.3	9
2	0.75	24 x 0.21	24.7	0.6	2.5	11
3	1	32 x 0.21	18.5	0.6	2.7	14
4	1.5	30 x 0.26	12.7	0.6	3.0	19
5	2.5	50 x 0.26	7.6	0.7	3.6	30
6	3	44 x 0.31	6.15	0.7	4.1	36

Notes: Other Automotive wires types can be provided on specific request.



Concentric Conductors with PVC Insulation based on DIN 72551

Cable Description

Conductor Concentric stranded copper conductor based on DIN 72551, part 6, type A.

Insulation PVC (polyvinyl chloride) based on DIN 72551, part 5.
Color code Color coded with or without stripes upon request

Temperature rating -40° C up to $+105^{\circ}$ C

Packing Cables are packed in carton boxes.

Application

 $This wire is used in the \,manufacture \,of \,electrical \,harnesses \,for \,cars \,and \,other \,automotive \,products.$

	Conductor			Minimum	Approx.	
S. No.	Nominal Cross sectional area (mm2)	No. of Wires x Max Wire Diameter (No. x mm)	Max Conductor DC Resistance at 20°C (Ohm/Km)	Insulation Thickness (mm)	Overall Diameter (mm)	Approx. Weight (Kg/Km)
1	0.35	7 x 0.26	52	0.2	1.3	4.5
2	2.5	19 x 0.19	37.1	0.22	1.6	6.6
3	0.75	19 x 0.23	24.7	0.24	1.9	9
4	1	19 x 0.26	18.5	0.24	2.1	11
5	1.5	19 x 0.32	12.7	0.24	2.4	16
6	2	19 x 0.37	9.42	0.24	2.6	22.5
7	2.5	19 x 0.41	7.6	0.28	3.0	26

Notes: Other Automotive wires types can be provided on specific request.



PVC Thin Insulation based on DIN 72551

Cable Description

Conductor Concentric stranded copper conductor based on DIN 72551, part 6, type B.

Insulation PVC (polyvinyl chloride) based on DIN 72551, part 5.
Color code Color coded with or without stripes upon request

Temperature rating -40° C up to $+105^{\circ}$ C

Packing Cables are packed in carton boxes.

Application

 $This wire is used in the \,manufacture \,of \,electrical \,harnesses \,for \,cars \,and \,other \,automotive \,products.$

S. No.		Minimum	Approx.	Approx.		
	Nominal Cross sectional area (mm2)	No. of Wires x Max Wire Diameter (No. x mm)	Max Conductor DC Resistance at 20°C (Ohm/Km)	Insulation Thickness (mm)	Overall Diameter (mm)	Weight (Kg/Km)
1	0.35	12 x 0.21	52	0.2	1.4	4.5
2	0.5	16 x 0.21	37.1	0.22	1.6	6.6
3	0.75	24 x 0.21	24.7	0.24	1.9	9.0
4	1	32 x 0.21	18.5	0.24	2.1	11.0
5	1.5	30 x 0.26	12.7	0.24	2.4	16.0
6	2	30 x 0.31	9.31	0.24	2.6	22.5
7	2.5	50 x 0.26	7.6	0.28	3.0	26.0
8	3	45 x 0.31	6.15	0.28	3.2	32.5
9	4	56 x 0.31	4.7	0.32	3.7	42.0
10	6	84 x 0.31	3.1	0.32	4.3	61.0

Notes: Other Automotive wires types can be provided on specific request.





H05VV-F

To BS 6500, HD 21.5.S3 and BS EN 50525-2-31 300/500 V.



Cable Description

Conductor Flexible plain annealed copper as per BS EN 60228

Core insulation PVC type TI2 as per BS 7655

Color code Two Cores Blue, Brown Three Cores

Green / Yellow, Blue, Brown

Four cores

Green / Yellow, Black, Blue, Brown Other colors can be arranged

Assembly Cores are twisted together to form a round cable.

Sheath PVC (polyvinyl chloride) TM2 as per BS 7655 Outer sheath varies as per standard and according to

application

Application

These cables can be used for domestic appliances.

S. No.	Conductor				A	
	Nominal Cross sectional area (mm2)	Conductor Max DC Resistance at 20°C (Ohm/Km)	Nominal Insula- tion Thickness (mm)	Nominal Outer Sheath Thickness (mm)	Approx. Overall Diameter (mm)	Approx. Weight (Kg/Km)
1	2 x 0.75	26.0	0.6	0.8	6.5	61.0
2	2 x 1.0	19.5	0.6	0.8	6.8	70.0
3	2×1.5	13.3	0.7	0.8	7.7	91.0
4	2 x 2.5	8.0	0.8	1.0	9.4	139.0
5	3 x 0.75	26.0	0.6	0.8	6.9	73.0
6	3 x 1.0	19.5	0.6	0.8	7.2	85.0
7	3 x 1.5	13.3	0.7	0.9	8.4	114.0
8	3 x 2.5	7.98	0.8	1.0	10.2	175.0
9	4 x 0.75	26.0	0.6	0.8	7.7	91.0
10	4 x 1.0	19.5	0.6	0.9	8.1	106.0
11	4 x 1.5	13.3	0.7	1.0	9.3	142
12	4 x 2.5	7.98	0.8	1.1	11.1	211

Notes: Other types can be provided on specific request.



H03VV-F

To BS 6500, HD 21.5.S3 and BS EN 50525-2- 31 300/300 V.



Cable Description

Conductor Flexible plain annealed copper as per BS EN 60228

Core insulation PVC type TI2 as per BS 7655

Color code Two Cores Blue, Brown Three Cores

Green / Yellow, Blue, Brown

Four cores

Green / Yellow, Black, Blue, Brown Other colors can be arranged

Assembly Cores are twisted together to form a round cable. For flat cables, two cores are laid parallel.

Sheath PVC (polyvinyl chloride) TM2 as per BS 7655 Outer sheath varies as per standard and according to

application

Temperature rating -5°C up to +70°C

Application

These cables can be used for domestic appliances.

	Conductor					
S. No.	Nominal Cross sectional area (mm2)	Conductor Max DC Resistance at 20°C (Ohm/Km)	Nominal Insulation Thickness (mm)	Nominal Outer Sheath Thickness (mm)	Approx. Overall Diameter (mm)	Approx. Weight (Kg/Km)
1	2 x 0.5 Flat	39	0.5	0.6	3.7 x 5.9	30
2	2 x 0.5	39	0.5	0.6	5.2	38
3	2 x 0.75 Flat	26	0.5	0.6	3.8×6.3	34
4	2 x 0.75	26	0.5	0.6	5.7	49
5	3 x 0.5	39	0.5	0.6	5.6	48
6	3 x 0.75	26	0.5	0.6	6.0	60
7	4 x 0.5	39	0.5	0.6	6.1	58
8	4 x 0.75	26	0.5	0.6	6.6	72

Notes: Other types can be provided on specific request.

The above data are approximate and subjected to normal manufacturing tolerance.





Rubber Cable as per IS 9968 Part-1 / IEC- 60245 Power Cable



Cable Description

Conductor Class 5 annealed tin electrolytic grade copper conductor as per IS 8130 Insulation Special EPR compound equivalent to or better than IE2 as per IS 6380

Outer Sheath Special elastomeric compound based on PCP, CSP, NBR - PVC, CPE equivalent to or better than SE4,

HOFR as per IS 6380

Rated Voltage 1.1kV AC Test Voltage 3.0 kV


Working Temperature

Fixed Installation -40°C to +90°C In Operation -25°C to +90°C

Special Features

Excellent flexibility, Smooth finish, Enhanced resistance to Ozone, Oxygen, Heat, Solvent, Chemicals and Fire

Construction Diagram



Nominal	Nominal			ax Temp. of Max Temp. of		Overall Diameter				
Cross Section (mm²)	Thickness of Insulation (mm)	DC Resistance at 20°C (0hms/Km)	the Cond. During Operation (°C)	Cond. During Short Circuit (°C)	1 Core	2 Core	3 Core	4 Core		
4	1.0	5.09	90	250	7.8	13.2	13.5	15.4		
6	1.0	3.39	90	250	10.0	17.0	18.0	20.4		
10	1.2	1.95	90	250	11.8	20.6	22.0	24.2		
16	1.2	1.24	90	250	13.6	24.0	25.8	28.4		
25	1.4	0.795	90	250	15.7	29.2	31.4	34.2		
35	1.4	0.565	90	250	17.4	32.2	34.4	37.6		
50	1.6	0.393	90	250	20.2	37.2	39.8	43.6		
70	1.6	0.277	90	250	22.5	41.2	44.2	48.6		
95	1.8	0.21	90	250	25.4	46.6	50.2	55.2		
120	1.8	0.164	90	250	27.6	50.6	54.2	60.0		
150	2.0	0.132	90	250	30.4	55.6	59.6	66.0		
185	2.2	0.108	90	250	33.4	60.6	65.2	72.5		
240	2.4	0.0817	90	250	36.8	67.6	72.8	81.0		
300	2.6	0.0654	90	250	40.0	74.6	80.4	89.4		
400	2.8	0.0495	90	250	45.0	84.0	90.6	100.8		



Rubber Cable as per IS 9968 Part-1 / IEC- 60245 Control Cable



Cable Description

Conductor Class 5 annealed tin electrolytic grade copper conductor as per IS 8130 Insulation Special EPR compound equivalent to or better than IE2 as per IS 6380

Outer Sheath Special elastomeric compound based on PCP, CSP, NBR - PVC, CPE equivalent to or better than SE4,

HOFR as per IS 6380

Rated Voltage 1.1kV AC Test Voltage 3.0 kV


Working Temperature

Fixed Installation -40°C to +90°C In Operation -25°C to +90°C

Special Features

Excellent flexibility, Smooth finish, Enhanced resistance to Ozone, Oxygen, Heat, Solvent, Chemicals and Fire

Construction Diagram



Nominal Cross Section	Core	Nominal Thickness of Insulation	Max Cond. DC Resistance at 20°C	Max Temp. of the Cond. During Operation	Max Temp. of Cond. During Short Circuit	Overall Diameter
mm²	Nos	mm	0hms/Km	°C	°C	mm
1.5	7	1.0	13.7	90	250	14.6
1.5	12	1.0	13.7	90	250	21.0
1.5	24	1.0	13.7	90	250	29.0
2.5	7	1.0	8.21	90	250	16.0
2.5	12	1.0	8.21	90	250	23.0
2.5	24	1.0	5.09	90	250	31.5



Rubber Cable as per IS 9968 Part-1 / IEC- 60245 with Reinforcement




Cable Description

Conductor Class 5 annealed tin electrolytic grade copper conductor as per IS 8130
Insulation Special EPR compound equivalent to or better than IE2 as per IS 6380
Bedding Special elastomeric compound conforming to SE3/SE4 as per IS 6380
Reinforcement Anti-torsional reinforcement between bedding and outer sheath

Outer Sheath Special elastomeric compound based on PCP, CSP, NBR-PVC, CPE equivalent to or better than Se4,

HOFR as per IS 6380

Construction Diagram



Technical Specification

Rated Voltage 1.1 kV AC Test Voltage 3.0 kV

Special Features

Excellent flexibility, Smooth finish, Enhanced resistance to Ozone, Oxygen, Heat, Solvent, Chemicals and Fire

Application

Reeling & Unreeling application in dry, damp & wet locations as well as outdoors. As universal reeling cables for hoisting, transportation & handling equipment with heavy mechanical stresses, flexible wind energy cable

Product Range

Single core upto 400 sq. mm, Multicore upto 240 sq. mm, Control core 1.5 sq. mm to 2.5 sq. mm upto 36 core



Rubber Cable Generally as per IS 9968 Part - 1 / IEC- 60245 Fire Survival Cable



Cable Description

Conductor Class 1 or 2 annealed tin or plain electrolytic grade copper conductor as per IS 8130

Glass Mica Tape Special Glass Mica Tape suitable for 750°C or 950°C

Insulation Special EPR compound equivalent to or better than le2 as per IS 6380

Bedding Special Zero Halogen elastomeric compound
Fire Barrier Tape High temperature resistance glass fibre tape
Braiding Magnetic or non-magnetic metallic wire braiding

Outer Sheath Special zero-halogen LSF (Low Smoke & Fume) elastomeric compound

Construction Diagram



Technical Specification

Rated Voltage 1.1 kV AC Test Voltage 3.0 kV

Special Features

- Circuit integrity test at 750 $^{\circ}\text{C}$ or 950 $^{\circ}\text{C}$ confirming to IEC 60331
- Smoke density test confirming to ASTMD 2843 or IEC 61034
- Vertical flame spread test confirming to IEC 60332
- Halogen acid gas test confirming to IEC 60754-1

Product Range

Single core upto 630 sq. mm, Multicore upto 2.5 sq. mm,to 240 sq. mm




Welding Cable as per IS 9857 / IEC- 60245



Cable Description

Conductor Covering Ultra flexible class 6 annealed plain electrolytic grade copper conductor as per IS 8130 Special elastomeric compound equivalent to or better than Se3 as per IS 6380

Construction Diagram



Special Features

Heat resisting, Oil resisting, Flame retardant (HOFR) Extremely flexible, smooth finished produced by Continuous Vulcanization (CV) process

Application

Specifically designed for machine welding and hand welding to work in dry, damp, wet locations & outdoors

Welding Cable as per IS 9857

S. No.	Conductor Size	Thickness of Covering	Outer Diameter	Weight
	mm²	Nominal mm	mm	Kh/Km
1	16	2.0	9.4	200
2	25	2.0	10.8	280
3	35	2.0	11.9	375
4	50	2.2	13.8	525
5	70	2.4	15.7	725
6	95	2.6	17.7	925

Upon request we can manufacture higher sizes of welding cables



XCMK-HF, FXQJ, EXQJ, IFSI

Power cable 0,6/1 kV, with Cu conductors, XLPE insulated and HFFR sheathed, with concentric conductor



Application

Power cable suitable for fixed installation in dry and damp environment, on or under plaster, on cable trays, same as in walls and concrete. Not intended for direct laying in ground or water. For outdoor application can be laid in tubes, but in that case should be taken all precautionary measures necessary to prevent water penetration into the tubes. Suitable for supply systems in an emergency. Appropriate for application in all situations where people and material goods need to be protected in case of fire. Recommended for public buildings frequented by a lot of people, and for buildings of high material value, for industrial complexes, electric power plants, transformer stations, municipal facilities, hotels, shopping malls, hospitals, schools, airports, underground railways and similar. Concentric conductor serves as electromagnetic screen, which could also be applied as neutral conductor.

Construction

Conductors: Cu, Class1 or 2 according to EN 60228

Insulation: XLPE compound

Bedding: Extruded elastomere or plastomere compound or plastic tape

Concentric conductor: Cu wires with counter helix of Cu tape

Sheath: HFFR compound

Technical Characteristics

CPR class: Dca - s2, d2, a2
Test voltage: 4 Kv

Rated voltage: 0,6/1 kV
Bending radius (min): Up to 6 mm² - 6D | Single Core - 15D | Multicore - 12D

Min. laying temperature: -15°C
Max. conductor temperature: 90°C
Max. short-circuit temperature: 250°C

Standard

SFS 5546, HD 604 S1, SS 424 14 18

Core Identification

According to HD308 S2

Insulation Color:

Single-core: Green/Yellow or Black

2-core: Brown Blue

3-core (a): Green/Yellow Brown Blue

3-core (b): Black Brown Grey

4-core (a): Green/Yellow Brown Black Grey

4-core (b): Blue Brown Black Grey

5-core: Green/Yellow Blue Brown Black Grey

Outer Sheath Colour:

Black


Other colours available on request

Certification











TWO-CORE CABLES

Nominal Cross- Section	Conductor Shape	Max. Resis- Tance At 20°c	Current Capacity In Air	Current Capacity In Ground	Outer Diam. (approx.)	Metal Weight	Cable Weight (approx.)	Packing
mm²		Ω/km	Α	Α	mm	kg/km	kg/km	500m
2x1,5/1,5	RE	12,1	18,5	26	9,4	43,2	138,87	K6
2x2,5/2,5	RE	7,410	25	35	10,2	72	184,76	K6
2x4/4	RE	4,610	-	-	11,3	115,2	251,02	K7
2x6/6	RE	3,080	43	57	12,5	172,8	334,42	K7
2x10/10	RM/RE	1,830	60	77	14,4	288	495,33	K8
2X10/16	RM/RE	1,830	60	77	15,9	345,6	552,6	K8
2x16/16	RM/RE	1,150	80	100	16,7	460,8	726,34	K8
2x25/16	RM/RE	0,727	102	130	20,0	633,6	1013	К9
2x35/16	RM	0,524	126	160	22,5	825,6	1297,3	K10
2x6/2,5	RE	3,080	43	57	12,4	139,2	300	K7
2x10/2,5	RM/RE	1,830	60	77	14,1	216	420,6	K7
2x16/2,5	RM/RE	1,150	80	100	16,0	331,2	590,9	K8
2x25/2,5	RM/RE	0,727	102	130	19,2	504	875,9	K9

^{*}RE - Solid single round conductor, RM - Circular stranded or compacted, SM - Multi stranded shaped conductor

THREE-CORE CABLES

Nominal Cross- Section	Conductor Shape	Max. Resis- Tance At 20°c	Current Capacity In Air	Current Capacity In Ground	Outer Diam. (approx.)	Metal Weight	Cable Weight (approx.)	Packing
mm²		Ω/km	А	Α	mm	kg/km	kg/km	500m
3x1,5/1,5	RE	12,1	18,5	26	9,9	57,6	157,8	K6
3x2,5/2,5	RE	7,410	25	35	10,8	96	213,5	K6
3×4/4	RE	4,610	-	-	11,9	153,6	294,3	K7
3x6/6	RE	3,080	43	57	13,2	230,4	396,9	K7
3x10/10	RM/RE	1,830	60	77	15,3	384	595,7	K8
3x16/16	RM/RE	1,150	80	100	17,7	614,4	883,2	K9
3x25/16	RM	0,727	102	130	21,1	873,6	1254,9	K10
3x35/16	RM	0,524	126	160	23,7	1161,6	1629,5	K11
3x50/25	SM	0,387	153	190	26,4	1680	1969,9	K11
3x70/35	SM	0,268	195	240	30,3	2352	2714,1	K12
3x95/50	SM	0,193	236	285	34,3	3216	3649,4	K14
3x120/70	SM	0,153	274	325	38,4	4128	4648,7	K16
3x150/70	SM	0,124	317	370	42,5	4992	5624,4	K18
3x185/95	SM	0,0991	361	420	47,3	6240	7008,2	K20
3x240/120	SM	0,0754	427	480	53,2	8064	8994,7	K22
3x300/150	SM	0,0601	492	550	58,6	10080	11174,6	K24

^{*}RE - Solid single round conductor, RM - Circular stranded or compacted, SM - Multi stranded shaped conductor



FOUR-CORE CABLES

Nominal Cross- Section	Conductor Shape	Max. Resis- Tance At 20°c	Current Capacity In Air	Current Capacity In Ground	Outer Diam. (approx.)	Metal Weight	Cable Weight (approx.)	Packing
mm²		Ω/km	А	Α	mm	kg/km	kg/km	500m
4x1,5/1,5	RE	12,1	18,5	26	10,7	72	182,7	K6
4x2,5/2,5	RE	7,410	25	35	11,7	120	249,8	K7
4x4/4	RE	4,610	-	-	13,0	192	347,2	K7
4x6/6	RE	3,080	43	57	14,4	288	471,3	K8
4x10/10	RM/RE	1,830	60	77	16,7	480	712,3	K8
4x10/16	RM/RE	1,830	60	77	18,0	537,6	770	K9
4x16/16	RM/RE	1,150	80	100	19,3	768	1061,8	K9
4x25/16	RM	0,727	102	130	23,2	1113,6	1530,5	K10
4x35/16	SM	0,524	126	160	26,0	1497,6	2007,2	K11
4x50/25	SM	0,387	153	190	29,2	2160	2511,2	K12
4x70/35	SM	0,268	195	240	34,2	3024	3474	K14
4x95/50	SM	0,193	236	285	38,0	4128	4655,7	K16
4x120/70	SM	0,153	274	325	42,5	5280	5915,8	K18
4x150/70	SM	0,124	317	370	47,1	6432	7208,2	K20
4x185/95	SM	0,0991	361	420	52,5	8016	8962,2	K22
4x240/120	SM	0,0754	427	480	59,0	10368	11516,9	K24
4x300/150	SM	0,0601	492	550	65,0	12960	14313,2	K24

^{*}RE - Solid single round conductor, RM - Circular stranded or compacted, SM - Multi stranded shaped conductor



Technical Information

Laying conditions at trefoil formation:

- Soil thermal resistivity 120 °C.Cm/Watt
- Burial depth 0.5 m
- Ground temperature 35 °C
- Air temperature 40 °C
- Frequency 50 Hz
- Cables must be protected from direct solar radiation and other thermal sources in the neighborhood.

DC resistance of conductor:

DC resistance per unit length of the conductor at another conductor temperature t is given by: R=Ro [$1+\alpha$ 20 (t-20°C)]

Where:

R = DC resistance at temperature to °C Ω /Km Ro = DC resistance at temperature 20°C Ω /Km t = conductor temperature °C a20 = temperature coefficient at 20°C 1/°C

AC Resistance of Conductor:

To calculate the AC resistance of the conductor at its operating temperature the following formula is used:

$$R_{a}c = R(1 + K_{p} + K_{s})$$

Where:

KP and KS are proximity effect and skin effect factors

Inductance:

Self & mutual inductance is defined as follows

$$L = K + 0.2 Ln \mid {}^{25}_{d} \mid$$

Where:

L = Inductance in mH / Km

K = A constant depending on the number of wires in the conductor

d = Conductor diameter in mm

n = Axial spacing between cables in trefoil formation in mm

= 1.26 x axial spacing between cables in flat formation in mm

Capacitance:

The mutual Capacitance of the pairs or adjacent cores shall not exceed a maximum of 250 PF/m at a frequency of 1 KHz

1- Mutual capacitance of unshielded twisted pair

$$C = \frac{7.218}{\frac{1.3D}{fd}}$$

2- Mutual capacitance of shielded twisted pair

$$C = \frac{21.14 \, \varepsilon}{\frac{1.2D}{fd}}$$

3- Mutual capacitance of overall shielded & cables

$$C = \frac{9.515}{\text{Ln} \left(\frac{1.5D}{\text{fd}} \right)}$$



Where:

C: Mutual Capacitance In PF/m

3: Dielectric constant of insulation material

D: Diameter over insulation in mm

d: Diameter over conductor in mm

f: Stranding factor depend on no. of wires in conductor

L/R ratio:

The L/R ratio for adjacent cores shall not exceed the following maximum value:

Conductor mm ²	Maximum L/R ratio μH / Ω
0.5	25
0.75	25
1.5	40

Impedance Zo (ohms):

1- Unshielded twisted pair : $ZO = \frac{310\sqrt{\varepsilon}}{C} \Omega$

2- Shielded twisted pair: $ZO = \frac{276}{\sqrt{E}} \log \left(\frac{1.2D}{f(d)}\right) \Omega$

3- Overall shield & cabled: $Zo = \frac{347}{\sqrt{\varepsilon}} \log \left(\frac{1.5D}{f(d)}\right) \Omega$

Where:

C : Mutual Capacitance In PF/m

3 : Dielectric constant of insulation material

f: Stranding factor depend on no. of wires in conductor

D: Diameter over insulation in mm

d : Diameter over conductor in mm

Attenuation:

The power loss in an electrical system, in cables, generally expressed in decibels (dB) per unit length

$$(A) = 86.8 \sqrt{\frac{RGW}{2}}$$

Where:

A : Attenuation in dB per 100 ft

R : Resistance (AC)

G: Conductance

 $W: 2\pi f (f = test frequency MHZ)$

Velocity of Propagation:

The speed of an electrical signal down a length of cable compared to speed in free space expressed as a percent.

It is inversely proportional to the dielectric constant. Lowering the dielectric constant. Lowering the dielectric constant increases the velocity

$$Vp = \frac{1}{\sqrt{\varepsilon}}$$
 or $Vp = \frac{1}{\sqrt{LC}}$



Where:

3: Dielectric constant

L:Inductance

C:Capacitance

Dielectric medium or material	Vp (%)
Air	100.0
Solid polyethylene	65.9
Foamed polyethylene	80.0
PVC	45.0

Fire Resistant cables:

A cable can be described as fire resistant when it complies with the severe test in IEC 60331 in which the middle portion of a sample of cable 1200 mm long is supported by two metal rings 300 mm apart and exposed to the flame from a tube type gas burner at 750 °C. Simultaneously the rated voltage of the cable is applied continuously throughout the test period. Furthermore, not less than 12 hours after the flame has been extinguished, the cable is reenergized. No electrical failure must occur under these conditions.

Halogen Free Material:

What are Halogens?

Halogens are salts of the elements Fluorine. Chlorine. Bromine and lodine.

Fluorine and chlorine are important in cable design. For example; Flourine, Chlorine and Bromine are common components of flame protection additives.

When is a cable Halogen free?

The burning behavior of cables is very important for the safety of buildings and also in control plants.

Consequently the following points are important:

- Behavior under flame influence ie. the inflammability as the propagation of fire.
- Development of smoke density (darkening of emergency exits, hindrance of the fire fighters).

Cables produced of non halogen free materials such as those with chlorine in the molecule chain: polyvinylchloride (PVC), chloroprene rubber (CR), chlorinated polyethylene (CM), have a better behavior in case of fire.

These are barely combustible or not flammable and self extinguishing, in case of fire molecules of Chlorine (or Fluorine) are released which hinder the access of oxygen at the fire location and hence suffocate the flame. The disadvantage of these materials is that the released Chlorine (or Flourine) atoms combine with hydrogen which is decomposed from the plastic material as well as hydro choleric acid or hydroflouoric acid from the existing air. These compounds are extremely corrosive and toxic in consequence, damage by corrosion may be higher than the damage caused by fire.

Halogen free cables contain no halogens, ie. the insulation and sheath materials of these cables are composed of polymers of pure hydrocarbons. Burning these materials, produce no corrosive compounds or toxic gases, only water vapor and carbon dioxide gas. For maximum security halogen free cable must be hardly flammable and self extinguishing . This is achieved by using special polymer compounds, containing high percentages of flame protective materials.

Application:

 $Halogen free \, cable \, are \, increasingly \, specified \, for \, public \, buildings \, and \, are as \, where \, large \, numbers \, of \, people \, may \, be \, present.$



LAN Cables:

The necessity to communicate through digital information, to share data, to reach calculation resources and to share costly devices has encourages the development of local area networks. A local area network (LAN) is a computer network linking users in a small area. Generally, a local area network connects users located either in the same office, or at the same floor, or in the same building. The success of local area networks is due to their ability to satisfy communication needs at a reasonable price. Compatibility is a critical element. Local area networks require high speed channels for data transmission, permitting the transfer of large blocks of data, images, and video signals. The technology used in local networks can reach a transmission rate which is higher than 100 Mbps, ie. higher than that of traditional direct connections. Moreover, the traditionally low transfer capacity of public telecommunications is increasing therefore the distinction between direct connection, local area networks and wide area networks is going to loose significance, at least as far as transmission capacity is concerned. The transmission media is the cable. Common media are phone pairs, coaxial cables and purpose designed LAN cables which are essentially extremely high performance telephone pairs, sometimes provided with shielding. This kind of shielded cable is more immune to electrical interference and permits high speed transmission over longer distances. Pairs are still the most versatile media for transmission and are often the best choice for new network installations.

Attenuation:

The reduction in a transmitted signal as it passes through wires or equipment in an electrical circuit.

Maximum attenuation values of Cat 5e

Frequency (MHz)	Maximum attenuation dB
0.1	N / A
1.0	2.5
4.0	4.8
10.0	7.5
16.0	9.4
20.0	10.5
31.25	13.1
62.5	18.4
100.0	23.2

Characteristic Impedance:

The nominal differential characteristic impedance of a cabling link shall be 100Ω at frequencies between 1 MHZ and the highest specified frequency for the cabling class. The tolerance of the characteristic impedance in a given link shall not exceed the chosen nominal impedance by more than $+15\Omega$ from 1 MHz up to the highest specified frequency for the class.

Near end crosstalk loss (Next):

The near end crosstalk loss of a link shall meet or exceed the values shown in table below, and shall be consistent with the design values of cable length and cabling materials used.

Maximum next loss of Cat 5e

Frequency (MHz)	Maximum attenuation dB
1.0	54
4.0	45
10.0	39
16.0	36
120.0	35
31.25	32
62.5	27
100	24



Attenuation to crosstalk loss ratio (ACR):

This is the difference between the crosstalk and the attenuation of the link in dB. ACR(dB) = an(dB) - a(dB).

Return loss:

The return loss of the cabling, measured at any interface, shall meet or exceed the values shown in the table below:

Frequency (MHz)	Maximum attenuation dB
1 ≤ F < 10	18
10≤ F < 16	15
16≤ F<20	15
20 ≤ F < 100	10

Coaxial Cable:

 $\label{lem:common} A \ cable \ consisting \ of two \ cylindrical \ with \ a \ common \ axis, separated \ by \ a \ dielectric.$

Electrical Parameters:

1-Characteristic Impedance:
$$ZO = \frac{138}{\sqrt{\epsilon}}$$
 LN $\left(\frac{D}{d}\right)$ Ω

2-Velocity of Propagation :
$$Vp = \frac{100\%}{\sqrt{\epsilon}}$$

4-Inductance:
$$L = 0.459 \text{ LN } \left(\frac{D}{d} \right)$$

5- Braiding Details:


Braid angle:
$$\Phi = \tan^{-1} \left(\frac{2\pi (d+e)^p}{C} \right) \text{ degrees}$$

Braid picks per cm:
$$P = \frac{0.394 \text{ (c) } \tan \Phi}{2\pi \text{ M}}$$

Braid resistance:
$$R = \frac{r}{n(C)(\cos\Phi)} \Omega/km$$



5-Instrumentation, fire resistant, control cables, LV cables, ...etc International practice is to supply cables on wooden drums. At the customers request we will also supply on steel drums for improved on-site performance and handling.



$\hbox{5-Instrumentation, fire resistant, control cables, LV cables, ... etc}$

D	D	d1	В1	B2	W1	W2
630	300	85	410	530	16	300
700	350	85	410	530	20	350
800	400	85	410	530	24	400
1000	500	85	610	70	46	800
1250	580	85	580	680	60	1700
1400	700	85	800	950	160	2000
1600	700	110	800	950	170	2500
1800	920	110	900	1050	240	3000
2000	1020	110	1200	1350	335	4000

:Where	
D : Flange diameter	.mm
d : Barrel diameter	.mm
d1: Axis hole diameter	.mm
B1 : Distance be tween flanges	.mm
B2 : Overall width	.mm
W1: Approximate net weight of drum	.kg
W2: Maximum aross weight of drum	.ka



Multiply	Ву	То	Multiply	Ву	To obtain
Weight – Imperial			Length – Imperial		
Ounces Pounds (AV) Pounds (AV) Tons (short) Tons (long)	28.495 453.59 0.45359 907.19 1016.05	grams grams kilograms kilograms kilograms	Mils Mils Inches Inches Inches	0.001 0.0254 1000 25.40 2.54	Inches mm Mils Mm Cm
Weight – Metric Grams Grams Kilograms Kilograms Kilograms Kilograms	0.03527 0.002205 35.274 2.2046 0.001102 0.0009842	Ounces Pounds Ounces Pounds Tons (short) Tone (long)	Feet Feet Feet (thousands of Yards miles Length-metric	0.9144 1.3093	Cm Meters Kilometers Meters Kilometers
Miscellaneous – Imperial Pounds per 1000 feet Pounds per mile Pounds per square inch Pounds per square inch Pounds per cubic Feet per second	1.48816 0.28185 0.0007031 0.07031 27.68 18.288 1.09728	Kg/ Km Kg/ Km Kg. per square mm. Kg. per square cm Grams per cubic cm Meters per minute Kilometers per hour	Millimeters Millimeters Centimeters Centimeters Meters Meters Meters Meters Kilometers Kilometers	39.37 0.03937 0.3937 0.032808 39.37 3.2808 1.0936 3280.83 0.62137	inches Inches Feet Inches Feet Yards Feet Miles
Feet per second Miles per hour Ohms per 1000 feet Ohms per mile Decibels per 1000 feet Decibels per mile Decibels	1.60935 3.28083 0.62137 3.28083 0.62137 0.1153	Kilometers per hour Ohms per kilometer Ohms per kilometer Decibels per kilometer Decibels per kilometer nepers.	Area – Imperial Square mils Square mils Circular mils Circular mils Square mils Square inches	1.2732 0.000001 0.7854	Circular mils Square inches Square mils 4 Square inches Square mm. Square mils
Miscellaneous – Metric Kg / Km Kg / Km Kg. per square mm Kg. per square cm Grams per cubic cm	0.67197 3.54795 1422.34 14.2234 0.03613 0.05468	Pounds per 100 feet Pound per mile Pound per square inch Pound per square inch Pound per cubic inch Feet per second	Square inches Square inches Square inches Square feet Square yards	1273240 645.16 645.16 0.09290 0.8361	Circular mils Square mm Square cm. Square meters Square meters
Meters per minute Kilometers per hour Kilometers per hour Ohms per kilometer Ohms per kilometer Decibels per kilometer Decibels per kilometer	0.91134 0.62137 0.3048 1.6093 0.3048 1.6093	Feet per second Miles per hour Ohms per 1000 feet. Ohms per mile Decibels per 1000 feet Decibels per mile	Area – Metric Square millimeters Square millimeters Square centimeters Square meters Square meters	1973.52 0.00155 0.155 10.7638 1.19599	Circular mils Square inches Square inches Square feet Square yards
Temperature Fahrenheit Celsius	5/9(*F)-32 9/5 (*C)+32	*Celsius * Fahrenheit	Volume – Imperial Cubic inches Cubic feet Volume – U. S. Quarts (liquid) Gallons	16.38716 0.028317 0.9463 3.7854	Cubic cm. Cubic meters. Liters Liters
			Volume – Imperial Cubic cm Cubic meters Liters Liters	0.06102 35.3145 1.05668 0.26417	Cubic incuse Cubic feet. Quarts.(liquid U.S) Gallons (U.S.)



NOTES		

Branch Offices:

AHMEDABAD

B-802, Iscon Elegance, Nr. Prahlad Nagar Corner, Opp. Karnavati Club, S.G. Highway, Ahmedabad-380051 Ph.: 079 - 66168835/36

E-mail: ahmedabad@hplindia.com

BANGALORE

No.2D, IInd Floor, Farah Winsford, 133, Infantry Road, Bangalore - 560001 Ph.: 080-22863068/69 E-mail: bangalore@hplindia.com

BHUBANESWAR

The Metropolis, Plot No. A- 167, Saheed Nagar, Bhubaneswar - 751007 (Orissa). Ph.: 91+ 9861374379, 8018027834

E-mail: orissa@hplindia.com

CHANDIGARH

SCO-14, 1st Floor, Industrial & Business Park, Phase-II, Chandigarh-160002 Ph.: 0172-2639157/8146404442 E-mail: chandigarh@hplindia.com

CHENNAL

"Amar Sindur" S-4, 2nd Floor, No.-43, Pantheon Road, Egmore, Chennai-600 008 Ph.: 044-28551530, 28551537 Fax: 044-42638243 E-mail: chennai@hplindia.com

COCHIN

1st Floor, A.K.S. Mahal Building, XL/7813J, Achutha Warrier Lane, M.G.Road, Ernakulam, Cochin-682035

Telefax: 0484-2354595 E-mail: cochin@hplindia.com

DEHRADUN

09/4/6, Ist Floor, East Canal Road, (Near Doon Defence Academy) Dehradun-248001

Ph.: 0135-2664387, 2664367 E-mail: uttranchal@hplindia.com

GUWAHATI

Rajgarh Road, Opposite China Town Restaurant, Guwahati-781003 Ph.: 0361-2450889 E-mail: guwahati@hplindia.com

HYDERABAD

No. 7-1-58, Flat No.403, 4th Floor, Concourse Building, Green Lands Road, Hyderabad-500016. Ph.: 040-66687878

E-mail: hyderabad@hplindia.com

INDORE

203, Millinda Manor 2, RNT Marg, Near Ravindra Natya Grah, Indore-452001, Ph.: 0731-4280525, 4225540

E-mail: Indore@hplindia.com

JAIPUR

512, 5th Floor, Plot No. 8-9, Corporate Park, Gopal Bari, Ajmer Road, Jaipur-302001 Ph.: 0141-4021035 E-Mail: jaipur@hplindia.com

KOLKATA

69, Ganesh Chandra Avenue, India House, 7th Floor, Block-C, Kolkata-700013 Ph.: +91 9038094379 E-Mail: calcutta@hplindia.com

LUCKNOW

1st Floor, Jain Building, 14/A5, Park Road Hazratganj, Lucknow-226001 Ph.: 0522-4021687 E-Mail: lucknow@hplindia.com

MUMBAI

2C/H, Rushabh Chambers, 2nd Floor Off-Makwana Road Near Rubi Hotel, Marol, Andheri East, Mumbai-400059 E-mail: mumbai@hplindia.com

NAGPUR

Jagtap House, Plot No. 07, 1st Floor, Ganesh Gruh Nirman Society, Near Ganesh Mandir. Ring Road, Pratap Nagar, Nagpur-440022, Ph.: 0712-222988 E-mail: nagpur@hplindia.com

PATNA

Hem Plaza, 5th Floor - 510, Frazer Road. Patna-800001(Bihar), Ph.: +91 9334697299 E-mail: patna@hplindia.com

Sunrise Skyline 3rd Floor, Plot No. 28/2 Scheme No. 11 B Opp. MSEB Office Somwar Peth Pune-411001 Ph.: +91 9028032724

E-mail: pune@hplindia.com

RAIPUR

1st Floor, Near Holy Heart School Chattisgarh College Road, Civil Line, Raipur (C.G.)-492006, Ph.: 0771-4218002/04 E-mail: raipur@hplindia.com

VADODARA

409/410, Silver Oak Complex, Near Shrenik Park, Char Rasta, Productivity Road, Akota, Vadodara - 390020 Gujarat Ph.: 0265-4000583.

Fax:0265-2352107

E-mail: baroda@hplindia.com

VIJAYAWADA

D.No.-29-37-135, 2nd Floor, G. R. Plaza, Eluru Road, Beside Canara Bank, Vijayawada-520002 Ph.: 0866-6622291

E-mail: vijayawada@hplindia.com

Resident Offices:

Agartala	Balasore	Cuttack	Jamshedpur	Malda	Rajkot	Tirupati
Agra	Belgaum	Davangere	Jalandhar	Mangalore	Rourkela	Trichy
Allahabad	Berhampur	Durg	Jharsuguda	Meerut	Salem	Trivandrum
Anantpuram	Bhilai	Goa	Jodhpur	Moradabad	Silchar	Udaipur
Aurangabad	Bhopal	Gorakhpur	Kanyakumari	Mysore	Siliguri	Vapi
Amravati	Bilaspur	Gulbarga	Kolhapur	Nagerkoil	Surat	Varanasi
Akola	Bijapur	Hubli	Kota	Nasik	Sholapur	Vellore
Angul	Calicut	Jabalpur	Ludhiana	Patiala	Srinagar	Vizag
Bareilly	Coimbatore	Jabli	Madurai	Pondicherry	Sambalpur	



HPL Electric & Power Ltd

Corp. Office: Windsor Business Park, B-1D, Sector-10, Noida, U.P. - 201301, INDIA. Tel.: +91-120-4656300, Fax: +91-120-4656333

Registered Office: 1/20, Asaf Ali Road, New Delhi - 110 002, INDIA.

E-mail: hpl@hplindia.com

Customer Care No.: 18004190198